## **SIEMENS**

Data sheet 3SB2000-2AG01



Selector switch, 16 mm, round, plastic, white, 2 switch positions O-I, latching, actuating angle 62 degree  $\,$ 

Figure similar

product designation S	
product designation	Selector switches
design of the product	Single device round
product type designation 3	3SB2
Enclosure	
number of command points 1	
Actuator	
design of the actuating element s	selector switch
principle of operation of the actuating element	atching
product extension optional light source	No
color of the actuating element	white
material of the actuating element p	plastic
outer diameter of the actuating element 1	19 mm
type of unlocking device	rotate-to-unlatch mechanism
number of switching positions	>
actuating angle	
• clockwise 6	62°
Front ring	
product component front ring	Yes
design of the front ring	Standard
material of the front ring	plastic
color of the front ring	plack
Holder	
material of the holder	Plastic
General technical data	
product function	
EMERGENCY OFF function	No
EMERGENCY STOP function	No
protection class IP	P65
vibration resistance according to IEC 60068-2-6	20 200 Hz: 5g
operating frequency maximum 1	1 000 1/h
mechanical service life (operating cycles) typical 3	300 000
reference code according to IEC 81346-2	3
Substance Prohibitance (Date)	07/01/2006
Connections/ Terminals	
tightening torque of the screws in the bracket 0	0.4 N·m
Ambient conditions	
ambient temperature	
• during operation -2	25 +70 °C

during storage	-40 +80 °C
environmental category during operation according to IEC 60721	3K6
Installation/ mounting/ dimensions	
fastening method	front plate mounting
shape of the installation opening	round
mounting diameter	16 mm
mounting height	17 mm
installation width	19 mm
installation depth	50 mm
Certificates/ approvals	

Orange I Dan de et Aus

General Product Approval Declaration of Conformity Test Certificates











Special Test Certificate

Test Certificates

other

**Miscellaneous** 

Type Test Certificates/Test Report

Confirmation

## **Further information**

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB2000-2AG01

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB2000-2AG01

 $Service \& Support \ (Manuals, \ Certificates, \ Characteristics, \ FAQs, ...)$ 

https://support.industry.siemens.com/cs/ww/en/ps/3SB2000-2AG01

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax\_de.aspx?mlfb=3SB2000-2AG01&lang=en

	_
last modified:	1/26/2022