



WITHDR. COIL FOR MOD. S6 FOR CONTACTORS  
 3RT105/3RT145 AC/DC ACTUATOR UC200-277V DRIVE:  
 ELECTRONIC WITH SPS INTERFACE 24V DC

Figure similar

General technical data:

<b>product brand name</b>	SIRIUS
<b>Product designation</b>	Magnet coil

Control circuit:

<b>Type of voltage of the control supply voltage</b>	AC/DC
<b>Control supply voltage</b>	
<ul style="list-style-type: none"> <li>• 1 with AC                             <ul style="list-style-type: none"> <li>— at 50 Hz Rated value</li> <li>— at 60 Hz Rated value</li> </ul> </li> <li>• 2 with AC                             <ul style="list-style-type: none"> <li>— at 50 Hz Rated value</li> <li>— at 60 Hz Rated value</li> </ul> </li> </ul>	200 V 200 V 277 V 277 V
<b>Control supply voltage</b>	
<ul style="list-style-type: none"> <li>• 1 for DC Rated value</li> <li>• 2 for DC Rated value</li> </ul>	200 V 277 V

Certificates/ approvals:

General Product Approval	Functional Safety/Safety of Machinery	Declaration of Conformity	Test Certificates
--------------------------	---------------------------------------	---------------------------	-------------------



[Type Examination](#)



[Special Test Certificate](#)

### Shipping Approval



Shipping Approval	other
-------------------	-------



[Confirmation](#)

[Environmental Confirmations](#)

[other](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3RT19555NP31>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RT19555NP31>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mfb=3RT19555NP31&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3RT19555NP31&lang=en)



last modified:

27.04.2015