

busbar adapter Size S2, for mechanical attachment of circuit breaker and soft starter 3RV2 and 3RW303/3RW403 Can be snapped onto standard mounting rail or for screw mounting (individual unit packaging)



General technical data		
Product brand name		SIRIUS
Product designation		mounting rail adapter
Design of the product		for mechanical attachment of circuit breakers and soft starters
Size of the circuit-breaker		S2
Size of contactor		S2
Installation/ mounting/ dimensions		
Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail
Width	mm	55
Height	mm	324
Depth	mm	27.8
Certificates/ approvals		
Certificate of suitability		CE / UL

General Product Approval	Declaration of Conformity	Shipping Approval	other
--------------------------	---------------------------	-------------------	-------



Miscellaneous



Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3RA2932-1CA00>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3RA2932-1CA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA2932-1CA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3RA2932-1CA00&lang=en



last modified:

08/19/2020