

# General Duty Safety Switch Type VBII, 60 Amp, 240 Volts, Type 3R (Outdoor)

## **Standards and Ratings**

- UL Listed under file #E4776
- Meets UL98 for switches and UL 50 for enclosures
- Meets NEMA Standard KS-1 for enclosed switches
- Meets NEC wire bending space requirements
- Rated 10,000 AIC as standard or 100,000 AIC when protected by Class R fuses rated 60 amp max
- Suitable for use as service entrance equipment

#### **Features**

- Quick-make and break switching action
- Double break visible blade design
- Highly visible ON/OFF indication
- Rugged installer friendly enclosure design
- Modular design allows quick and easy replacement of parts
- Single cover interlock

#### **General Information**

Catalog Number	Description	Shipping Weight (lbs.)
GNF322R	3 Pole, 3 Wire, Non-Fusible	13

#### Horsepower Ratings 1

Catalog 1 Phase, 3 Wire, 240V AC		3 Phase, 3 Wire, 240V AC		250V	
Number	Std	Max	Std	Max	DC
GNF322R	_	10	_	15	10

#### Accessories

Catalog Number	Description
HG61234	Equipment Ground Lug Kit
HN612	Neutral Kit
HS075	0.75" Type "HS" Outdoor Hub
HS100	1.00" Type "HS" Outdoor Hub
HS125	1.25" Type "HS" Outdoor Hub

#### **Replacement Parts**

Catalog Number	Description
HNB612	Non-Fusible Replacement Base
GH223	Replacement Handle/Handle Guard
HM6123	Replacement Mechanism
HL612	Replacement Lugs (3 lugs per kit)

### Mechanical Lug Wire Ranges (60/75°C, Cu/Al)

Description	Wire Range	
Line, Load	#12-3 AWG (AI)	
Neutral	or #14-3 AWG (Cu)	
Ground	#14-4 AWG	

<sup>1</sup> Dual horsepower ratings: Std - applies when non-time delay fuses are installed. Max - applies when time-delay fuses are installed.


Product Specification Sheet GD60.3

Answers for industry.

**SIEMENS** 

# Product Specification Sheet #GD60.3 (page 2 of 2)

# Dimension Drawing



Dimensions shown in inches and millimeters ( ). Dimension shown accurate to  $\pm\,1\%$  inch.

KNOCKOUT CODE		NDUIT SIZE	
A (Concentric)	.75	1.00	
B (Tangential)	.50	.75	1.00

	LINE SIDE WIRE BEND	LOAD SIDE WIRE BEND	
Non-Fused	3.02 (77)	4.11 (104)	

Enclosure: Galvanized Steel .054 Thick (17 Gauge) Finish: ANSI Grey #61 Paint