



Product: <u>8441</u> 🖸

Audio, Control and Instrumentation Cable, 1 Pr #22 Str TC, 85% TC Braid, PVC Jkt, CMG

Product Description

Audio, Control & Instrumentation Cable, 1 Pair 22 AWG (7 x 30) Tinned Copper, PVC insulation, 85% Tinned Copper Braid Shield, PVC Jacket, CMG

Technical Specifications

Product Overview

Suitable	Applications:	Speaker, Control & In	strumentation			
Constr	uction Details					
Conducto	Conductor					
Element	No. of Elements	Size	Strandi	ng Material		
Pair(s)	1	22 AWG	7x30	TC - Tinned Copp	er	
1						
Insulation						
Element			Nom. Thio			
Pair(s)	Pair(s) PVC - Polyvinyl Chloride 0.016 in (0.41 mm) Black & Red					
Outer Shi	Duter Shield					
Shield T	ype Materia	I C	overage	Drainwire Type	Notes	
Braid	Tinned Coppe				Polyester tape under braid	
Outer Jac	Outer Jacket					
Material Nom. Thickness Nom. Diameter						
PVC - Polyvinyl Chloride 0.025 in (0.64 mm) 0.194 in (4.93 mm)						
Overall C	Overall Cable Diameter (Nominal): 0.194 in (4.93 mm)					
	Electrical Characteristics					
Electric	cal Characteri	stics				

Electricals

Element	Nom. Conductor DCR	Nom. Capacitance Cond-to-Cond	Nom. Capacitance Cond-to-Other (Conds + Shield)	Nom. Characteristic Impedence	Max. Current
Pair(s)	18.2 Ohm/1000ft	49 pF/ft (160 pF/m)	86 pF/ft (280 pF/m)	45 Ohm	2.9 Amps per conductor @ 25°C

Voltage

UL Voltage Rating
300 V

Mechanical Characteristics

Temperature

UL Temperature	Operating
80°C	-20°C to +80°C

Bend Radius

Stationary Min.	Installation Min.		
1.9 in (48 mm)	1.9 in (48 mm)		

Max. Pull Tension:	57 lbs (26 kg)
Bulk Cable Weight:	25 lbs/1000ft

Standards and Compliance

Environmental Suitability: Indoor (Not Riser or Plenum), Indoor Flammability / Reaction to Fire: UL 1685 FT4 Loading, FT4, IEEE 1202, IEC 60332-1-2 CPR Compliance: CPR Euroclass: Eca NEC / UL Compliance: Article 800, CMG AWM Compliance: AWM 2095 CEC / C(UL) Compliance: CMG	
CPR Compliance: CPR Euroclass: Eca NEC / UL Compliance: Article 800, CMG AWM Compliance: AWM 2095	
NEC / UL Compliance: Article 800, CMG AWM Compliance: AWM 2095	
AWM Compliance: AWM 2095	
CEC / C(UL) Compliance: CMG	
European Directive Compliance: EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEE	EE)
UK Regulation Compliance: UKCA Mark	
APAC Compliance: China RoHS II (GB/T 26572-2011)	

History

Update and Revision:

Revision Number: 0.486 Revision Date: 02-15-2024

Part Numbers

Variants

Item #	Color	Putup Type	Length	UPC	Footnote
8441 010100	Black	Reel	100 ft	612825207184	
8441 010500	Black	Reel	500 ft	612825207207	С
8441 010U500	Black	UnReel	500 ft	612825207610	
8441 0101000	Black	Reel	1,000 ft	612825207191	С
8441 010U1000	Black	UnReel	1,000 ft	612825207160	
8441 0105000	Black	Reel	5,000 ft	612825207153	

© 2025 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.