AtLite







Universal Mount Edge-Lit Exit Sign


- All mounting options included with the base unit
 - Surface ceilingEndSurface wallRecessed wall
 - Recessed Ceiling
- · All panel options included as standard
 - Single or double-sided
 - Clear, mirror or white background
 - Chevron arrows
- Halo[®] Got Nail[®] hangar bars for recessed or T-grid installations
- EagleEye[™] self-diagnostics are standard
- Aluminum housing available with a variety of finishes
 - Brushed aluminum White Black
- Maintenance-free nickel cadmium battery with fifteen-year pro-rated warranty
- NYC compliant, UL 924 listed
- Dual voltage input 120/277 VAC, 60 Hz
- Five-year warranty


Ordering Information


SAMPLE NUMBER: AUXSWHSD


Series	Finish	SD
AUXA=AC only LED AUXS=Self Powered LED	_=Brushed Aluminum WH=White BK=Black	_=None (AC Only) SD=Self Diagnostics (Self Powered)
AUXFAI=Fire Alarm Interface Module		


Dimensions











Lighting Product Lines

Ametrix AtLite Corelite Ephesus Fail-Safe Halo

Halo Commercial

Invue io Iris Lumark Lumière McGraw-Edison

Metalux MWS Neo-Ray Portfolio RSA Shaper Streetworks Sure-Lites

Controls Product Lines

Fifth Light Technology

Greengate

iLight (International Only)

iLumin Zero 88


Connected Lighting Systems

Distributed Low-Voltage Power

HALO Home iLumin Plus Enlighted WaveLinx Trellix



Canada Sales 5925 McLaughlin Road Mississauga, Ontario L5R 1B8 P: 905-501-3000 F: 905-501-3172



All other trademarks are property of their respective owners.

Product availability, specifications, and compliances are subject to change without notice.

© 2021 Cooper Lighting Solutions All Rights Reserved Printed in USA Publication No. ADX140134 February 12, 2021 11:04 AM

