

## Power It! 6-Outlet Power Strip, 6 ft. Cord, Black Housing

MODEL NUMBER: **PS66B**



Connect up to 6 electrical devices to a single AC wall socket. Ideal for connecting appliances, power tools, lighting and other electrical equipment in your home, office or work site.

### Description

The PS66B Power It!™ 6-Outlet Power Strip is a reliable, compact, cost-effective 120V 1875W power strip that lets you connect up to six electrical devices to a single AC wall socket. With a six-foot AC power cord with NEMA 5-15P plug, this multi-outlet power strip is ideal for use with appliances, power tools, lighting and other electrical equipment in homes, offices and work sites.

Your components plug into six NEMA 5-15R outlets compatible with all standard electrical equipment. Integrated 15-amp circuit breaker protects all outlets against dangerous overloads. Lighted on/off switch provides one-touch control over connected equipment. Keyhole slots incorporated into the bottom panel provide convenient wall or desk mounting options for the black plastic housing.

### Features

#### 6 Outlets Power All Standard Electronics

- 6 NEMA 5-15R AC outlets accept most appliances, power tools, lights and other devices

#### Premium Safety Features

- Lighted on/off switch provides one-touch control over connected equipment
- Integrated 15A circuit breaker protects outlets against overloads
- UL and cUL approved

#### Fits Effortlessly Into Your Home, Office or Work Site

- 6 ft. AC power cord with NEMA 5-15P plug
- Keyhole slots on bottom panel provide convenient wall or desk mounting options

### Highlights

- 6 NEMA 5-15R outlets
- 15A resettable circuit breaker prevents dangerous overloads
- Lighted on/off switch gives one-touch control over components
- 6 ft. AC power cord with NEMA 5-15P plug
- Bottom keyhole slots for mounting to wall or desk

### Package Includes

- PS66B Power It! 6-Outlet Power Strip, Black Housing
- Owner's manual



- Black plastic housing designed for long life

## Specifications

| OVERVIEW                           |   |
|------------------------------------|---|
| UPC Code                           | 037332190765  |
| OUTPUT                             |   |
| Frequency Compatibility            | 60 Hz   |
| Output (Watts)                     | 1875  |
| Output Receptacles                 | (6) 5-15R   |
| Circuit Breaker (amps)             | 15  |
| Overload Protection                | 15A circuit breaker                                     |
| Transformer Accommodation          | (2) Yes   |
| Outlet Orientation                 | Single row of 6   |
| Right-Angle Outlets                | No  |
| INPUT                              |   |
| Nominal Input Voltage(s) Supported | 120V AC   |
| Recommended Electrical Service     | 15A 120V  |
| Input Cord Gauge Type              | 14 gauge; SJT   |
| Voltage Compatibility (VAC)        | 120   |
| Input Plug Type                    | NEMA 5-15P  |
| Input Cord Length (ft.)            | 6   |
| Input Cord Length (m)              | 1.83  |
| Integrated Cord Clip               | No  |
| USER INTERFACE, ALERTS & CONTROLS  |   |
| Switches                           | Illuminated on/off switch controls power to all outlets |
| PHYSICAL                           |   |
| Anti-Microbial Protected           | No  |
| Color                              | Black   |
| Color (AC Line Cord)               | Black   |
| Integrated Keyhole Mounting Slots  | Yes   |
| Material of Construction           | Plastic   |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

|                                     |  |
|-------------------------------------|--|
| Receptacle Color                    | Black  |
| Shipping Dimensions (hwd / cm)      | 28.02 x 10.59 x 3.99   |
| Shipping Dimensions (hwd / in.)     | 11.03 x 4.17 x 1.57  |
| Shipping Weight (kg)                | 0.45   |
| Shipping Weight (lbs.)              | 1.00   |
| Unit Dimensions (hwd / cm)          | 23.3 x 3.81 x 3.81   |
| Unit Dimensions (hwd / in.)         | 9.5 x 1.5 x 1.5  |
| Unit Weight (kg)                    | 0.37   |
| Unit Weight (lbs.)                  | .81  |
| <b>CERTIFICATIONS</b>               |  |
| Additional International Approvals  | Complies with RoHS (Restriction of Hazardous Substances Directive) |
| UL1363 (Power Tap)                  | UL1363   |
| Canada                              | cUL  |
| <b>WARRANTY</b>                     |  |
| Product Warranty Period (Worldwide) | Lifetime limited warranty  |

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>