

# UNDERSINK PIPING COVERS

## LAV GUARD<sup>®</sup>2

### Overview

Lav Guard<sup>®</sup> 2 provides the durable, attractive protection Lav Guard is famous for. Built-in fasteners and internal Tear-To-Fit trimming feature eliminate the need for tools, and provide for a clean, tamper-resistant, fast and professional installation. Lav Guard 2 can be installed over cast brass or tubular P-trap assemblies and angle stop assemblies. Lav Guard 2 provides a professional and quick-to-install ADA compliant solution for all public lavatories.

#### INTERNAL RIB DESIGN MAXIMIZES SAFETY

Lav Guard 2 features a patented internal rib design that increases thermal protection while providing a soft, resilient cushioning.

#### ANTIMICROBIAL VINYL MINIMIZES MAINTENANCE

Lav Guard 2 is molded from impact-resistant, stain-resistant, antimicrobial vinyl. Its smooth surface makes it exceptionally easy to clean and maintain.

#### STRICT CODE COMPLIANCE MINIMIZES RISK

Lav Guard 2 complies with ASME A112.18.9-2001, ADA article 4.19.4 (606.5), CABO/ANSI 4.20.4, UFAS 4.19.4, Calif. Title 24, UPC, IPC, ICC, Canada Barrier-Free Code.

#### LAV GUARD 2 MAKES INSTALLATION FAST & EASY

Tear-To-Fit feature makes trimming fast and contractor friendly—no tools required.

Built-in fasteners are quick, strong, and reusable.

Universal design fits more P-traps and thumb wings on plastic compression nuts.



MADE IN THE USA




ADA COMPLIANT

IMPROVED, FAST-INSTALLING  
ANTIMICROBIAL MOLDED  
UNDERSINK SAFETY COVERS FOR  
ADA ACCESSIBILITY COMPLIANCE

# LAV GUARD® 2 UNDERSINK PIPING COVERS

## SPECIFICATIONS

|                                    |                                                                                                          |
|------------------------------------|----------------------------------------------------------------------------------------------------------|
| Material                           | Soft, resilient molded vinyl                                                                             |
| Nominal Wall                       | 1/8" constant with internal ribs                                                                         |
| Durometer                          | 70-80 — Shore A                                                                                          |
| UV Protection                      | Will not fade or discolor                                                                                |
| Durability                         | Virtually indestructible                                                                                 |
| Trimming (E-Z Series)              | Internal E-Z Tear-To-Fit trim feature                                                                    |
| Fasteners (E-Z Series)             | Internal E-Z Grip fasteners, reusable                                                                    |
| Color                              | China white                                                                                              |
| Compatibility #100 Series          | Fits all 1-1/4" or 1-1/2" cast brass or tubular P-trap assemblies and 3/8" or 1/2" angle stop assemblies |
| Compatibility #400* Series         | Fits all 1-1/2" schedule 40 plastic P-traps                                                              |
| Paintability                       | Apply latex paint                                                                                        |
| Burning Characteristics ASTM D-635 | Self extinguished 0 sec (ATB) mm (AEB)                                                                   |
| Bacteria/Fungus Resistance         | ASTM G21 and G22 — Result: 0 growth                                                                      |
| Maintenance                        | Wipe clean using common detergents                                                                       |



# UNDERSINK PIPING COVERS

## LAV GUARD<sup>®</sup>2

### Two-step Installation



#### STEP 1


Tear-To-Fit on internal, dimensioned tear lines for quick, clean, accurate trimming to fit virtually any piping configuration. Covers flex to install over pipes.



#### STEP 2

Press seams together at finger recesses to engage internal fasteners for a secure, safe, tamper-resistant installation. To remove cover, firmly pull seam apart using a strong grip. To reinstall, press seams back together.

## LAV GUARD® 2 UNDERSINK PIPING COVERS



### MODELS AVAILABLE

| PRODUCT                                                                                                            | DESCRIPTION                                                                                            | MODEL     | UNITS/CASE |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------|------------|
| <b>100 Series - Fits all 1¼" or 1½" cast brass or tubular P-trap assemblies and ¾" or ½" angle stop assemblies</b> |                                                                                                        |           |            |
| 82188                                                                                                              | One angle valve and supply cover                                                                       | 99 E-Z    | 15         |
| 82190                                                                                                              | One P-trap cover                                                                                       | 100 E-Z   | 15         |
| 82192                                                                                                              | One P-trap cover, one angle valve and supply cover                                                     | 101 E-Z   | 15         |
| 82193                                                                                                              | One P-trap cover, two angle valve and supply covers                                                    | 102 E-Z   | 15         |
| 82194                                                                                                              | One P-trap cover, two angle valve and supply covers, one 5" offset tailpiece wheelchair strainer cover | 103 E-Z   | 15         |
| <b>400 Series - Fits all 1½" Schedule 40 Plastic P-traps</b>                                                       |                                                                                                        |           |            |
| 82199                                                                                                              | One P-Trap Cover                                                                                       | 400       | 15         |
| 82200                                                                                                              | One P-Trap Cover, One angle Valve and Supply Cover                                                     | 401       | 15         |
| 82201*                                                                                                             | One P-Trap Cover, Two angle Valve and Supply Cover                                                     | 402       | 15         |
| <b>ACCESSORIES</b>                                                                                                 |                                                                                                        |           |            |
| 82195                                                                                                              | One 5" offset tailpiece wheelchair strainer assembly                                                   | 105 E-Z   | 15         |
| 82196                                                                                                              | Kohler 6" offset                                                                                       | 105K      | 15         |
| 82197                                                                                                              | One basket strainer cover and offset waste cover (adjustable to 18")                                   | 106 E-Z   | 15         |
| 82198                                                                                                              | Two basket strainer covers and center or end outlet waste cover (adjustable)                           | 107 E-Z   | 15         |
| <b>EXTENSIONS</b>                                                                                                  |                                                                                                        |           |            |
| 82189                                                                                                              | One 14" extension for water supply                                                                     | EX99 E-Z  | 15         |
| 82191                                                                                                              | One 14" extension for drain waste arm or tailpiece                                                     | EX100 E-Z | 15         |

\*105 EZ can be used in conjunction with the 400 series if a tailpiece is required..

Manufactured under one or more of the following U.S. or Canadian patents. Other patents pending.  
7,032,615; 7,264,431; 8,196,612; 2,482,548

