





TE Pro Series

Crown

1TEC2M1SF8SIL/1TEC2M2SF8SIL

PROJECT:	PRODUCT #:
TYPE:	COMMENTS:
PREPARED BY:	

	Crown	
	Molding – Contemporary	Molding – Transitional
Channel		
Installation View		
Tape Capacity	Utilizes two strips of LED tape	
Description	- The smooth, sleek curve of this crown molding offers a modern aesthetic to a room's perimeter. - Featuring subtle design elements, this transitional crown molding will complement a variety of spaces. Ideal for: - Lighted crown molding for homes or light commercial spaces - Highlight architecture or artwork	
Dimensions		
A La Carte To Build A Channel With the TE Pro Series, you build your own channel system. Tape Light Sold Separately.	 +  +  +  +  Channel Lens End Caps Mounting Extrusion Accessories	
Channels 8ft	1TEC2M1SF8SIL	1TEC2M2SF8SIL
Lenses 8ft	1TEL0028WHO 2-Tape Wide Flat Lens, White Opaque	
End Caps 2 total	1TEE2M1SFSIL Metal with Wiring Hole	1TEE2M2SFSSIL Metal with Wiring Hole
Mounting Extrusion 8 ft	1TEMME1SF8SIL Crown Channel Mounting Extrusion	
Accessories	1TEA090VCONN 90° Vertical Connector Bracket 1TEA090HCONN 90° Horizontal Connector Bracket 1TEA120HCONN 120° Horizontal Connector Bracket 1TEA180HCONN Straight Connector Bracket	

Compatible with Kichler Standard Output (1.5W/ft) and High Output (3W/ft) LED Tape Light.

KICHLER®

TE Pro Series

Crown

1TEC2M1SF8SIL/1TEC2M2SF8SIL



1TEC2M1SF8SIL



1TEC2M2SF8SIL



1TEL0028WHO



1TEE2M1SFSIL



1TEE2M2SFSSIL



1TEMME1SF8SIL



1TEA090VCONN



1TEA090HCONN




1TEA120HCONN



1TEA180HCONN

EXPLODED VIEW



INSTALLATION VIEW



1TEC2M1SF8SIL/1TEC2M2SF8SIL

TE Channels are compatible with Kichler® 8T, 6T and 4T Standard Output (1.5W/ft) and High Output (3W/ft) LED Tape Light. Below are compatible connectors.

*Due to the width of the 1SL, 1C and 1IC connectors, soldered connections are recommended.

NOTES: