

MOTOR FINISH



Antique Pewter

BLADE FINISHES

Walnut



Dimmable



AIR PERFORMANCE

AIRFLOW

Cubic Ft. Per Minute on High

6467

RPM

Revolutions Per Minute on High

116

POWER USAGE

Watts on High
(Excludes Lights)

36

AIRFLOW EFFICIENCY

Cubic Ft. Per Minute Per Watt

181

SPECIFICATIONS

Performance

CFM (High)	6467	RPM (High)	116
Watts (High)	36	Airflow Efficiency CFM/W (High)	181

Motor Specifications

Amps (High)	0.50	Motor Size	DC-165M
Motor Type	DC Brushless	Primary Material	Steel

Mounting/Installation

Minimum Distance from Fan to Floor	7 feet	Interior/Exterior	Interior
Lead Wire Length	78"	Location Rating	CSA UL Listed Dry
Low Ceiling Adaptable	No	Max Stem Tilt	30.00

Dimensions

Downrod 1	1.00 OD X 4.50"	Downrod 1 - Measurement A	14.25"
Downrod 1 - Measurement B	14.25"	Downrod 1 - Measurement C	12.75"
Base Backplate	6.75 DIA	Weight	23.15 LBS
Blade Sweep	62	Height	14.25"
Width	62.00"		

Light Source

Downlight Included	Yes	Downlight Option	Integrated
Dimmable	Yes	Dimmable Notes	Recommended for use with Kichler Fan Controls
Color Rendering Index	80	Kelvin Temperature	3000K
Initial Lumens	1600	Lumens/watt (efficacy)	94.00
Diffuser Description	Etched Cased Opal	Downward-facing Bulbs	1 X 17W
Lamp Included	Integrated	# of Bulbs/LED Modules	1

FIXTURE ATTRIBUTES

Blade Finish & Specs

Blade Finish 1	Walnut	Blade Material	ABS
Blade Pitch	20	Blades Included	Yes
Number of Blades	3		

Included Control

Wall Control Included	Yes	Remote Included	No
Control Type	371075.00	Limited/Full Function	Full Function

Product/Ordering Information

SKU	300700AP	Finish	Antique Pewter
UPC	783927526784	Style	Contemporary

Housing

Fan Primary Control System	6 Speed DC CoolTouch-Full	
----------------------------	---------------------------	--

Warranty

www.kichler.com/warranty

Compatible Accessories

6 Speed DC Wall Transmitter Full Function White, 6 Speed DC CoolTouch™ Transmitter Full Function White

ALSO IN THIS FAMILY



300700MWH



300700NI



300700NI7

You can see all products in this family by searching **Kichler.com**