

LED BR30

7.2BR30/PER/927/P/E26/DIM 6/1FB T20

Philips BR30 LED lamps are the smart alternative to standard incandescent. The traditional lamp design can provide excellent dimming performance with spectular energy savings. They provide the beautiful light and dependable performance you expect from LED at an economical price.

Product data

General Information			
Base	E26 [Single Contact Medium Screw]		
EU RoHS compliant	Yes		
Nominal Lifetime (Nom)	15000 h		
Switching Cycle	50000X		
Technical Type	7.2-65W		
Light Technical			
Color Code	927		
Beam Angle (Nom)	110 °		
Initial lumen (Nom)	650 lm		
Color Designation	Warm White (WW)		
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	90.00 lm/W		
Color Consistency	<4		
Color Rendering Index (Nom)	90		
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and Electrical			
Input Frequency	60 Hz		
Power (Rated) (Nom)	7.2 W		
Lamp Current (Nom)	82 mA		
Wattage Equivalent	65 W		

Starting Time (Nom)	0.5 s	
Warm Up Time to 60% Light (Nom)	0.5 s	
Power Factor (Nom)	0.7	
Voltage (Nom)	120 V	
Temperature		
T-Case Maximum (Nom)	70 °C	
Controls and Dimming		
Dimmable	Yes	
Mechanical and Housing		
Bulb Finish	Frosted	
Approval and Application		
Energy Efficiency Label (EEL)	Not applicable	
Energy Consumption kWh/1000 h	- kWh	
Product Data		
Order product name	7.2BR30/PER/927/P/E26/DIM 6/1FB T20	
EAN/UPC - Product	046677553890	
Order code	553891	
Numerator - Quantity Per Pack	1	

Datasheet, 2020, November 18 data subject to change

LED BR30

Numerator - Packs per outer box	6	
Material Nr. (12NC)	929002092304	
Net Weight (Piece)	0.095 kg	


Dimensional drawing

D ___


Product	D	С
7.2BR30/PER/927/P/E26/DIM 6/1FB T20	95 mm	132 mm

BR30 120V 7.2-65W 650lm 2700K E26 D


Photometric data



Colos A Phonometric 4.5 Phono Labour St.V. Face 171




LEDbulb 65W E26 BR30 927 Frosted LEDbulb 65W E26 BR30 927 Frosted




LEDbulb 65W E26 BR30 927 Frosted

LED BR30

Lifetime





15K LED 15K LMP



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.