



PL-T Triple 4-Pin Base Energy Advantage

PL-T 32W/830/XEW/A/4P/ALTO 27W

Philips Linear Compact Fluorescent Lamps offer designers, specifiers and end-users new levels of efficiencies and versatility in sizes, configurations and application possibilities. With so many elegant fixtures available to complement their small size, high light output and advanced technology, Philips Energy Advantage lamps are fast becoming the preferred choice when maximum efficiency and sleek design solutions are required.

Warnings and Safety

• Lamp contains mercury. Manage in Accord with Disposal Laws. See: www.lamprecycle.org or 1-800-555-0050

Product data

General Information	
Base	GX24Q-3 [GX24q-3]
Life to 50% Failures Preheat (Nom)	16000 h
Features	ALTO® (ALTO)

Light Technical	
Color Code	830 [CCT of 3000K]
Initial lumen (Nom)	1900 lm
Color Designation	Warm White (WW)
Lumen Maintenance 2000 h (Nom)	92 %
Lumen Maintenance 5000 h (Nom)	87 %
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	70 lm/W

Color Rendering Index (Nom)	>80
-----------------------------	-----

Operating and Electrical	
Power (Rated) (Nom)	28 W
Lamp Current (Nom)	0.320 A

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Cap-Base Information	4P

PL-T Triple 4-Pin Base Energy Advantage

Approval and Application

Mercury (Hg) Content (Nom) 1.4 mg

Product Data

Order product name PL-T 32W/830/XEW/A/4P/ALTO 27W

EAN/UPC - Product 046677220211

Order code 220210

Numerator - Quantity Per Pack 1

Numerator - Packs per outer box 10

Material Nr. (12NC) 927906983020

Net Weight (Piece) 70.000 g


Dimensional drawing

Product	D (max)	B (max)	C (max)
PL-T 32W/830/XEW/A/4P/ALTO 27W	41.0 mm	123.0 mm	138.7 mm

PL-T XEW 32W/830/4P ALTO 27W

Photometric data

⊙ ○ ○ ○



LDPB_PLT4PXEW_830-Spectral power distribution B/W

LDPO_PLT4PXEW_830-Spectral power distribution Colour

