

TFFN STRANDED



GENERAL INFO

Internal wiring of fixtures. Fixture raceways. Fire alarm circuits in raceways. Features include: rated Gasoline and Oil Resistant II, resistant to abrasion, acids, alkalines, ozone and water, for TFFN applications, the conductor is appropriate for use in dry locations not to exceed 90°C, for MTW applications, the conductor is appropriate for use in dry locations at 90°C or not to exceed 60°C in wet locations or where exposed to oil or coolants, meets cold bend and cold impact tests at -25°C.

CONSTRUCTION/DESIGN

Nominal outer diameter [inch]	Conductor strand count	Cable marking	Conductor category	AWG size
				16
0.11		GENERAL CABLE® [WH] HIGH SPEED 4 AWG (21.2 MM2) LOGO) TYPE XHHW-2 600V OR 1000V (UL) [MM]-[YYYY] [SEQ]		16
0.11				16
0.11				16
0.11		PRYSMIAN GROUP [WH] EASY GLIDER® 3 AWG CU XLPE RW90 600V SR (-40C) [MM]-[YYYY] [SEQ] 3 AWG		16
0.11				16
0.11		PRYSMIAN GROUP CAROL(R) 12 AWG (3.31MM2) 600V E135243-H MTW (UL) OR AWM 1015/1032/1335 VW-1 -- CSA TEW 105C FT1 ROHS (DATE CODE)		16
0.11				16
0.11				16
0.11				16
0.11				16
0.11				16
0.11				16
0.11				16
0.11				16
0.11		PRYSMIAN GROUP CAROL(R) 18 AWG (0.82MM2) 600V E135243-H MTW (UL) OR TFF OR AWM 1015/1032/1335 VW-1 -- CSA TEW 105C FT1 ROHS (DATE CODE)		16
0.11				16
0.11				16
0.11				16
0.11				16
0.11		PRYSMIAN GROUP (H) (YEAR) EASY GLIDER(R) MTW OR THHN/THWN-2 (UL) 10 AWG (3.31MM2) GR I AND GR II 600V VW-1 OR AWM OR T90 NYLON / TWN75 C(UL) FT1 (-25C)		16
0.11				16

Prysmian

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
28016	16 AWG 600 V 1 Conductors 16 26/W CU TFFN		16			
28016434	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN R-2500	GENERAL CABLE® [WH] HIGH SPEED 4 AWG (21.2 MM2LOGO) TYPE XHHW-2 600V OR 1000V (UL) [MM]-[YYYY] [SEQ]	16	green	1	Green
28016720	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU CTN(4X500)		16	blue	1	Blue
28016334	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED R-2500		16	red	1	Red
28016320	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED CTN(4X500)	PRYSMIAN GROUP [WH] EASY GLIDER® 3 AWG CU XLPE RW90 600V SR (-40C) [MM]-[YYYY] [SEQ] 3 AWG	16	red	1	Red
28016234	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT R-2500		16	white	1	White
28016834	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG R-2500	PRYSMIAN GROUP CAROL(R) 12 AWG (3.31MM2) 600V E135243-H MTW (UL) OR AWM 1015/1032/1335 VW-1 -- CSA TEW 105C FT1 ROHS (DATE CODE)	16	orange	1	Orange
28016B34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK R-2500		16	pink	1	Pink
28016934	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY R-2500		16	grey	1	Gray
28016820	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG CTN(4X500)		16	orange	1	Orange

Prysmian

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
28016120	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK CTN(4X500)		16	black	1	Black
28016B20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK CTN(4X500)		16	pink	1	Pink
28016420	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN CTN(4X500)		16	green	1	Green
28016920	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY CTN(4X500)		16	grey	1	Gray
28016534	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL R-2500		16	yellow	1	Yellow
28016620	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN CTN(4X500)	PRYSMIAN GROUP CAROL(R) 18 AWG (0.82MM2) 600V E135243-H MTW (UL) OR TFF OR AWM 1015/1032/1335 VW-1 -- CSA TEW 105C FT1 ROHS (DATE CODE)	16	brown	1	Brown
28016634	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN R-2500		16	brown	1	Brown
28016A20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR CTN(4X500)		16	purple	1	Purple
28016734	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU R-2500		16	blue	1	Blue
28016A34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR R-2500		16	purple	1	Purple

Prysmian

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
28016520	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL CTN(4X500)	PRYSMIAN GROUP (H) (YEAR) EASY GLIDER(R) MTW OR THHN/THWN-2 (UL) 10 AWG (5.26 MM2) GR I AND GR II 600V VW-1 OR AWM OR T90 NYLON / TWN75 C(UL) FT1 (-25C)	16	yellow	1	Yellow
28016220	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT CTN(4X500)		16	white	1	White
28016134	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK R-2500		16	black	1	Black
28018	18 AWG 600 V 1 Conductors 18 16/W CU TFFN		18			
28018920	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY CTN(4X500)		18	grey	1	Gray
28018320	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED CTN(4X500)		18	red	1	Red
28018A20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR CTN(4X500)		18	purple	1	Purple
28018234	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT R-2500		18	white	1	White
28018734	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU R-2500		18	blue	1	Blue
28018134	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK R-2500		18	black	1	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
28018634	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN R-2500		18	brown	1	Brown
28018620	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN CTN(4X500)		18	brown	1	Brown
28018420	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN CTN(4X500)		18	green	1	Green
28018334	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED R-2500	PRYSMIAN GROUP CAROL(R) 18 AWG (0.82MM2) 600V E135243-H MTW (UL) OR TFF OR AWM 1015/1032/1335 VW-1 -- CSA TEW 105C FT1 ROHS (DATE CODE)	18	red	1	Red
28018934	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY R-2500	CAROL 14 AWG (2.08MM2) 600V E135243-8 MTW (UL) OR AWM 1015/1032/1335 VW-1 -- CSA TEW 105C FT1 ROHS (YEAR)	18	grey	1	Gray
28018B34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK R-2500	GENERAL CABLE® [WH] HIGH SPEED 6 AWG (13.3 MM2LOGO) TYPE XHHW-2 600V OR 1000V (UL) [MM]-[YYYY] [SEQ]	18	pink	1	Pink
28018820	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG CTN(4X500)		18	orange	1	Orange
28018120	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK CTN(4X500)		18	black	1	Black
28018534	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL R-2500	PRYSMIAN GROUP [WH] 12 AWG (3.31 MM2LOGO) TYPE XHHW-2 600V OR 1000V (UL) [YYYY]	18	yellow	1	Yellow
28018520	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL CTN(4X500)		18	yellow	1	Yellow

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
28018220	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT CTN(4X500)	GENERAL CABLE® [WH] HIGH SPEED 6 AWG (13.3 MM2LOGO) TYPE XHHW-2 600V OR 1000V (UL) [MM]-[YYYY] [SEQ]	18	white	1	White
28018834	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG R-2500		18	orange	1	Orange
28018434	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN R-2500	GENERAL CABLE® [WH] HIGH SPEED 2 AWG (33.6 MM2LOGO) TYPE XHHW-2 600V OR 1000V (UL) [MM]-[YYYY] [SEQ]	18	green	1	Green
28018720	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU CTN(4X500)		18	blue	1	Blue
28018A34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR R-2500		18	purple	1	Purple
28018B20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK CTN(4X500)		18	pink	1	Gray

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
28016	16 AWG 600 V 1 Conductors 16 26/W CU TFFN							
28016434	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN R-2500		0.02	0.11			0.39	2.62
28016720	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU CTN(4X500)		0.02	0.11			0.39	2.62
28016334	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED R-2500		0.02	0.11			0.39	2.62
28016320	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED CTN(4X500)		0.02	0.11			0.39	2.62
28016234	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT R-2500		0.02	0.11			0.39	2.62
28016834	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG R-2500		0.02	0.11			0.39	2.62
28016B34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK R-2500		0.02	0.11			0.39	2.62
28016934	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY R-2500		0.02	0.11			0.39	2.62
28016820	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG CTN(4X500)		0.02	0.11			0.39	2.62

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
28016120	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK CTN(4X500)		0.02	0.11			0.39	2.62
28016B20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK CTN(4X500)		0.02	0.11			0.39	2.62
28016420	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN CTN(4X500)		0.02	0.11			0.39	2.62
28016920	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY CTN(4X500)		0.02	0.11			0.39	2.62
28016534	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL R-2500		0.02	0.11			0.39	2.62
28016620	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN CTN(4X500)		0.02	0.11			0.39	2.62
28016634	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN R-2500		0.02	0.11			0.39	2.62
28016A20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR CTN(4X500)		0.02	0.11			0.39	2.62
28016734	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU R-2500		0.02	0.11			0.39	2.62
28016A34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR R-2500		0.02	0.11			0.39	2.62

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
28016520	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL CTN(4X500)		0.02	0.11			0.39	2.62
28016220	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT CTN(4X500)		0.02	0.11			0.39	2.62
28016134	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK R-2500		0.02	0.11			0.39	2.62
28018	18 AWG 600 V 1 Conductors 18 16/W CU TFFN							
28018920	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY CTN(4X500)		0.02	0.09			0.39	2.29
28018320	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED CTN(4X500)		0.02	0.09			0.39	2.29
28018A20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR CTN(4X500)		0.02	0.09			0.39	2.29
28018234	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT R-2500		0.02	0.09			0.39	2.29
28018734	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU R-2500		0.02	0.09			0.39	2.29
28018134	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK R-2500		0.02	0.09			0.39	2.29

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
28018634	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN R-2500		0.02	0.09			0.39	2.29
28018620	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN CTN(4X500)		0.02	0.09			0.39	2.29
28018420	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN CTN(4X500)		0.02	0.09			0.39	2.29
28018334	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED R-2500		0.02	0.09			0.39	2.29
28018934	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY R-2500		0.02	0.09			0.39	2.29
28018B34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK R-2500		0.02	0.09			0.39	2.29
28018820	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG CTN(4X500)		0.02	0.09			0.39	2.29
28018120	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK CTN(4X500)		0.02	0.09			0.39	2.29
28018534	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL R-2500		0.02	0.09			0.39	2.29
28018520	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL CTN(4X500)		0.02	0.09			0.39	2.29

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
28018220	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT CTN(4X500)		0.02	0.09			0.39	2.29
28018834	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG R-2500		0.02	0.09			0.39	2.29
28018434	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN R-2500		0.02	0.09			0.39	2.29
28018720	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU CTN(4X500)		0.02	0.09			0.39	2.29
28018A34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR R-2500		0.02	0.09			0.39	2.29
28018B20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK CTN(4X500)		0.02	0.09			0.39	2.29

PRODUCT INFORMATION

Part number	Product name	Copper weight [lbs/ft]	Aluminium weight [lbs/ft]
28016	16 AWG 600 V 1 Conductors 16 26/W CU TFFN		
28016434	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN R-2500		
28016720	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU CTN(4X500)		
28016334	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED R-2500		
28016320	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED CTN(4X500)		
28016234	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT R-2500		
28016834	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG R-2500		
28016B34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK R-2500		
28016934	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY R-2500		
28016820	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG CTN(4X500)		
28016120	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK CTN(4X500)		
28016B20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK CTN(4X500)		
28016420	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN CTN(4X500)		
28016920	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY CTN(4X500)		
28016534	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL R-2500		

PRODUCT INFORMATION

Part number	Product name	Copper weight [lbs/ft]	Aluminium weight [lbs/ft]
28016620	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN CTN(4X500)		
28016634	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN R-2500		
28016A20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR CTN(4X500)		
28016734	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU R-2500		
28016A34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR R-2500		
28016520	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL CTN(4X500)		
28016220	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT CTN(4X500)		
28016134	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK R-2500		
28018	18 AWG 600 V 1 Conductors 18 16/W CU TFFN		
28018920	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY CTN(4X500)		
28018320	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED CTN(4X500)		
28018A20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR CTN(4X500)		
28018234	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT R-2500		
28018734	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU R-2500		
28018134	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK R-2500		

PRODUCT INFORMATION

Part number	Product name	Copper weight [lbs/ft]	Aluminium weight [lbs/ft]
28018634	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN R-2500		
28018620	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN CTN(4X500)		
28018420	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN CTN(4X500)		
28018334	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED R-2500		
28018934	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY R-2500		
28018B34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK R-2500		
28018820	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG CTN(4X500)		
28018120	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK CTN(4X500)		
28018534	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL R-2500		
28018520	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL CTN(4X500)		
28018220	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT CTN(4X500)		
28018834	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG R-2500		
28018434	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN R-2500		
28018720	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU CTN(4X500)		
28018A34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR R-2500		

Prysmian

PRODUCT INFORMATION

Part number	Product name	Copper weight [lbs/ft]	Aluminium weight [lbs/ft]
28018B20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK CTN(4X500)		

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	28016	16 AWG 600 V 1 Conductors 16 26/W CU TFFN	US	Distribution products	MTO		LBS
	28016434	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN R-2500	US	Distribution products	MTS	0.02	LBS
	28016720	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016334	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED R-2500	US	Distribution products	MTS	0.02	LBS
	28016320	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016234	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT R-2500	US	Distribution products	MTS	0.02	LBS
	28016834	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG R-2500	US	Distribution products	MTS	0.02	LBS
	28016B34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK R-2500	US	Distribution products	MTO	0.02	LBS
	28016934	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY R-2500	US	Distribution products	MTS	0.02	LBS
	28016820	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG CTN(4X500)	US	Distribution products	MTS	0.02	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	28016120	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016B20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016420	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016920	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016534	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL R-2500	US	Distribution products	MTS	0.02	LBS
	28016620	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016634	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN R-2500	US	Distribution products	MTS	0.02	LBS
	28016A20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016734	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU R-2500	US	Distribution products	MTS	0.02	LBS
	28016A34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR R-2500	US	Distribution products	MTS	0.02	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	28016520	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016220	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT CTN(4X500)	US	Distribution products	MTS	0.02	LBS
	28016134	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK R-2500	US	Distribution products	MTS	0.02	LBS
	28018	18 AWG 600 V 1 Conductors 18 16/W CU TFFN	US	Distribution products	MTO		LBS
	28018920	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018320	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018A20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018234	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT R-2500	US	Distribution products	MTO	0.01	LBS
	28018734	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU R-2500	US	Distribution products	MTS	0.01	LBS
	28018134	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK R-2500	US	Distribution products	MTS	0.01	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	28018634	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN R-2500	US	Distribution products	MTS	0.01	LBS
	28018620	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018420	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018334	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED R-2500	US	Distribution products	MTS	0.01	LBS
	28018934	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY R-2500	US	Distribution products	MTS	0.01	LBS
	28018B34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK R-2500	US	Distribution products	MTO	0.01	LBS
	28018820	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018120	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018534	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL R-2500	US	Distribution products	MTS	0.01	LBS
	28018520	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL CTN(4X500)	US	Distribution products	MTS	0.01	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	28018220	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018834	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG R-2500	US	Distribution products	MTS	0.01	LBS
	28018434	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN R-2500	US	Distribution products	MTO	0.01	LBS
	28018720	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU CTN(4X500)	US	Distribution products	MTS	0.01	LBS
	28018A34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR R-2500	US	Distribution products	MTS	0.01	LBS
	28018B20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK CTN(4X500)	US	Distribution products	MTO	0.01	LBS

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
28016	16 AWG 600 V 1 Conductors 16 26/W CU TFFN	FOOT	0	0	0	Long Length Reel
28016434	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN R-2500	FOOT	11	10	12	2500 FT Reel
28016720	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28016334	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED R-2500	FOOT	11	10	4	2500 FT Reel
28016320	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN RED CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28016234	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT R-2500	FOOT	6	10	4	2500 FT Reel
28016834	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG R-2500	FOOT	11	10	4	2500 FT Reel
28016B34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK R-2500	FOOT	10	10	4	2500 FT Reel
28016934	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY R-2500	FOOT	11	10	10	2500 FT Reel
28016820	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN ORG CTN(4X500)	FOOT	13	13	4	2000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
28016120	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28016B20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PNK CTN(4X500)	FOOT	13	13	6	2000 FT Reel
28016420	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRN CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28016920	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN GRY CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28016534	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL R-2500	FOOT	11	10	4	2500 FT Reel
28016620	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN CTN(4X500)	FOOT	13	13	6	2000 FT Reel
28016634	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BRN R-2500	FOOT	11	10	12	2500 FT Reel
28016A20	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR CTN(4X500)	FOOT	13	13	4	2000 FT Reel
28016734	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLU R-2500	FOOT	11	10	12	2500 FT Reel
28016A34	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN PUR R-2500	FOOT	6	10	4	2500 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
28016520	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN YEL CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28016220	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN WHT CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28016134	PGV00191 AWG 600 V 1 Conductors 16 26/W CU TFFN BLK R-2500	FOOT	6	6	10	2500 FT Reel
28018	18 AWG 600 V 1 Conductors 18 16/W CU TFFN	FOOT	0	0	0	Long Length Reel
28018920	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY CTN(4X500)	FOOT	12	12	4	2000 FT Reel
28018320	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED CTN(4X500)	FOOT	12	12	4	2000 FT Reel
28018A20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28018234	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT R-2500	FOOT	11	10	4	2500 FT Reel
28018734	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU R-2500	FOOT	11	10	12	2500 FT Reel
28018134	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK R-2500	FOOT	11	10	4	2500 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
28018634	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN R-2500	FOOT	11	10	4	2500 FT Reel
28018620	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BRN CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28018420	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28018334	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN RED R-2500	FOOT	11	10	4	2500 FT Reel
28018934	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRY R-2500	FOOT	22	20	1	2500 FT Reel
28018B34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK R-2500	FOOT	11	11	7	2500 FT Reel
28018820	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28018120	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLK CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28018534	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL R-2500	FOOT	11	10	4	2500 FT Reel
28018520	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN YEL CTN(4X500)	FOOT	22	20	1	2000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
28018220	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN WHT CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28018834	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN ORG R-2500	FOOT	11	10	4	2500 FT Reel
28018434	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN GRN R-2500	FOOT	11	10	4	2500 FT Reel
28018720	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN BLU CTN(4X500)	FOOT	22	20	1	2000 FT Reel
28018A34	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PUR R-2500	FOOT	11	10	4	2500 FT Reel
28018B20	PGV00312 AWG 600 V 1 Conductors 18 16/W CU TFFN PNK CTN(4X500)	FOOT	12	12	4	2000 FT Reel