

CAROLPRENE SJEOOW

Plastic cord that performs in heat & cold, Resistant to oil/chemicals



GENERAL INFO

Thermoplastic cord products have evolved into a product line where specialized, technologically advanced products are required to meet today's commercial and industrial applications. No longer are plastic cord products used only in applications where oil resistance is needed; today typical applications require cord to perform well in environments of extreme heat and cold and on job sites and factory floors where resistance to oil, chemicals and abrasion is mandatory. General Cable's role, as the producer of the premiere Carol® Brand plastic cord products, is to ensure that new product development, product innovation and quality not only keep pace with industry requirements but also set the trends. Our plastic cord products carry a full range of listings and certifications with Underwriters Laboratories, Inc. and the Canadian Standard Association. In addition, many products meet or exceed the requirements of OSHA, MSHA and other relevant industry standards. Carol is simply the most accepted brand in the industry, having proven itself on the job time after time. Our plastic cord line is the most comprehensive in the industry, ensuring that the proper Carol product can always be specified.

CONSTRUCTION/DESIGN

Nominal outer diameter [inch]	Conductor strand count	Cable marking	Conductor category	AWG size
0.419	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12
0.443	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12
0.443	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12
0.443	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12
0.443	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12
0.443	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12
0.486	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12
0.486	65/30	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Class 2 = stranded	12

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
89032.XX.01	12/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White	2	Black
89033.41.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	Black
89033.XX.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	Black
89033.35.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	Black
89033.XX.05	12/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	Yellow
89033.41.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White
89033.46.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White
89033.XX.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White
89033.35.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White
89033.99.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
89033.41.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White
89033.46.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White
89033.35.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	White
89033.41.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	Black
89033.35.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Green	3	Black
89034.41.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Red, Green	4	Black
89034.XX.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Red, Green	4	Black
89034.35.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Red, Green	4	Black
89034.41.01M	12/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	12	Black, White, Red, Green	4	Black
92943A.44.01	14/3C SJEOOW CAROL ULTRA FLEX BLK		14	NA	3	Natural

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
92906A.38.05	14/4C SJEOOW CAROL ULTRA FLEX YLW		14	NA	4	Black
89012.41.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White	2	Black
89012.XX.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White	2	Black
89012.35.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White	2	Black
89012.41.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White	2	Black
89012.35.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White	2	Black
89013.35.02M	16/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16		3	White
89013.35.05M	16/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Yellow
89013.XX.02	16/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	White
89013.41.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Yellow

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
89013.46.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Yellow
89013.35.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Yellow
92875A.46.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	PRYSMIAN GROUP (H) (YEAR) EASY GLIDER(R) MTW OR THHN/THWN-2 (UL) 12 AWG (3.31 MM2) GR I AND GR II 600V VW-1 OR AWM OR T90 NYLON / TWN75 C(UL) FT1 (-25C)	16	NA	3	Gray
89013.41.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Black
89013.35.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Black
89013.41.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Black
89013.XX.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Black
89013.35.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Green	3	Black
89014.XX.01	16/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Red, Green	4	Black
89014.35.01	16/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	16	Black, White, Red, Green	4	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
89002.41.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White	2	Black
89002.35.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White	2	Black
89002.41.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White	2	Black
89002.XX.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White	2	Black
89002.35.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White	2	Black
89003.41.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Green	3	Black
89003.XX.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Green	3	Black
89003.35.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Green	3	Black
89003.99.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Green	3	Black
89003.41.01M	18/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Green	3	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
89004.XX.01	18/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Red, Green	4	Black
89004.35.01	18/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Red, Green	4	Black
89004.35.01M	18/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	18	Black, White, Red, Green	4	Black
89022.41.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White	2	Black
89022.XX.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White	2	Black
89022.35.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White	2	Black
89023.35.05M	14/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Yellow
89023.41.04	14/3C SJEOOW CAROL ULTRA FLEX ORG	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Orange
89023.99.04	14/3C SJEOOW CAROL ULTRA FLEX ORG	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Orange
89023.41.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
89023.XX.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Black
89023.35.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Black
89023.XX.02M	14/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	White
89023.41.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Black
89023.35.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Black
89023.XX.05	14/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Yellow
89023.35.05	14/3C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	Yellow
89023.XX.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	White
89023.35.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	White
89023.99.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm2) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P-07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Green	3	White

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
89024.35.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Red, Green	4	Yellow
89024.99.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Red, Green	4	Yellow
89024.XX.01	14/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Red, Green	4	Black
89024.35.01	14/4C SJEOOW CAROL ULTRA FLEX BLK	Carol® Ultra Flex® SJEOOW - CAROL® ULTRA FLEX® (SIZE) (mm ²) E11368-8 WATER RESISTANT (UL) SJEOOW c(UL) SJTOOW-TPE (-50°C) 105°C 300 V FT2 P- 07-KA120010-MSHA - ROHS - MADE IN USA (DATE CODE) (TRU-MARK SEQUENTIAL FOOTAGE)	Other	Black, White, Red, Green	4	Black

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
89032.XX.01	12/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.419			0.76	10.64
89033.41.01	12/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.443			0.76	11.25
89033.XX.01	12/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.443			0.76	11.25
89033.35.01	12/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.443			0.76	11.25
89033.XX.05	12/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.443			0.76	11.25
89033.41.02	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25
89033.46.02	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25
89033.XX.02	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25
89033.35.02	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25
89033.99.02	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
89033.41.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25
89033.46.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25
89033.35.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.443			0.76	11.25
89033.41.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.443			0.76	11.25
89033.35.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.443			0.76	11.25
89034.41.01	12/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.486			0.76	12.34
89034.XX.01	12/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.486			0.76	12.34
89034.35.01	12/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.486			0.76	12.34
89034.41.01M	12/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.486			0.76	12.34
92943A.44.01	14/3C SJEOOW CAROL ULTRA FLEX BLK							

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
92906A.38.05	14/4C SJEOOW CAROL ULTRA FLEX YLW							
89012.41.01	16/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.319			0.76	8.1
89012.XX.01	16/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.319			0.76	8.1
89012.35.01	16/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.319			0.76	8.1
89012.41.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.319			0.76	8.1
89012.35.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.319			0.76	8.1
89013.35.02M	16/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.338			0.76	8.59
89013.35.05M	16/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.338			0.76	8.59
89013.XX.02	16/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.338			0.76	8.59
89013.41.05	16/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.338			0.76	8.59

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
89013.46.05	16/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.338			0.76	8.59
89013.35.05	16/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.338			0.76	8.59
92875A.46.01	16/3C SJEOOW CAROL ULTRA FLEX BLK							
89013.41.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.338			0.76	8.59
89013.35.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.338			0.76	8.59
89013.41.01	16/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.338			0.76	8.59
89013.XX.01	16/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.338			0.76	8.59
89013.35.01	16/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.338			0.76	8.59
89014.XX.01	16/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.372			0.76	9.45
89014.35.01	16/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.372			0.76	9.45

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
89002.41.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.293			0.76	7.44
89002.35.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.293			0.76	7.44
89002.41.01	18/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.293			0.76	7.44
89002.XX.01	18/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.293			0.76	7.44
89002.35.01	18/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.293			0.76	7.44
89003.41.01	18/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.31			0.76	7.87
89003.XX.01	18/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.31			0.76	7.87
89003.35.01	18/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.31			0.76	7.87
89003.99.01	18/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.31			0.76	7.87
89003.41.01M	18/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.31			0.76	7.87

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
89004.XX.01	18/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.34			0.76	8.64
89004.35.01	18/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.34			0.76	8.64
89004.35.01M	18/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.34			0.76	8.64
89022.41.01	14/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.351			0.76	8.92
89022.XX.01	14/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.351			0.76	8.92
89022.35.01	14/2C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.351			0.76	8.92
89023.35.05M	14/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.372			0.76	9.45
89023.41.04	14/3C SJEOOW CAROL ULTRA FLEX ORG		0.03	0.372			0.76	9.45
89023.99.04	14/3C SJEOOW CAROL ULTRA FLEX ORG		0.03	0.372			0.76	9.45
89023.41.01	14/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.372			0.76	9.45

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
89023.XX.01	14/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.372			0.76	9.45
89023.35.01	14/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.372			0.76	9.45
89023.XX.02M	14/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.372			0.76	9.45
89023.41.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.372			0.76	9.45
89023.35.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.372			0.76	9.45
89023.XX.05	14/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.372			0.76	9.45
89023.35.05	14/3C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.372			0.76	9.45
89023.XX.02	14/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.372			0.76	9.45
89023.35.02	14/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.372			0.76	9.45
89023.99.02	14/3C SJEOOW CAROL ULTRA FLEX WHT		0.03	0.372			0.76	9.45

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
89024.35.05	14/4C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.41			0.76	10.41
89024.99.05	14/4C SJEOOW CAROL ULTRA FLEX YLW		0.03	0.41			0.76	10.41
89024.XX.01	14/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.41			0.76	10.41
89024.35.01	14/4C SJEOOW CAROL ULTRA FLEX BLK		0.03	0.41			0.76	10.41

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	89032.XX.01	12/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	90	LBS
	89033.41.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	130	LBS
	89033.XX.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	130	LBS
	89033.35.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	130	LBS
	89033.XX.05	12/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	130	LBS
	89033.41.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	130	LBS
	89033.46.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTS	130	LBS
	89033.XX.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	130	LBS
	89033.35.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	130	LBS
	89033.99.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	130	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	89033.41.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	130	LBS
	89033.46.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	130	LBS
	89033.35.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	130	LBS
	89033.41.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	130	LBS
	89033.35.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	130	LBS
	89034.41.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	170	LBS
	89034.XX.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	170	LBS
	89034.35.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	170	LBS
	89034.41.01M	12/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	170	LBS
	92943A.44.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO		LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	92906A.38.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO		LBS
	89012.41.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	55	LBS
	89012.XX.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	55	LBS
	89012.35.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	55	LBS
	89012.41.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	55	LBS
	89012.35.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	55	LBS
	89013.35.02M	16/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products		70	LBS
	89013.35.05M	16/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	70	LBS
	89013.XX.02	16/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	70	LBS
	89013.41.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	70	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	89013.46.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	70	LBS
	89013.35.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	70	LBS
	92875A.46.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO		LBS
	89013.41.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	70	LBS
	89013.35.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	70	LBS
	89013.41.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	70	LBS
	89013.XX.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	70	LBS
	89013.35.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	70	LBS
	89014.XX.01	16/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	85	LBS
	89014.35.01	16/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	85	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	89002.41.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	45	LBS
	89002.35.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	45	LBS
	89002.41.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	45	LBS
	89002.XX.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	45	LBS
	89002.35.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	45	LBS
	89003.41.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	55	LBS
	89003.XX.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	55	LBS
	89003.35.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	55	LBS
	89003.99.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	55	LBS
	89003.41.01M	18/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	55	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	89004.XX.01	18/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	65	LBS
	89004.35.01	18/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	65	LBS
	89004.35.01M	18/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	65	LBS
	89022.41.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	75	LBS
	89022.XX.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	75	LBS
	89022.35.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	75	LBS
	89023.35.05M	14/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	90	LBS
	89023.41.04	14/3C SJEOOW CAROL ULTRA FLEX ORG	US	Distribution products	MTS	90	LBS
	89023.99.04	14/3C SJEOOW CAROL ULTRA FLEX ORG	US	Distribution products	MTO	90	LBS
	89023.41.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	90	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	89023.XX.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	90	LBS
	89023.35.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTS	90	LBS
	89023.XX.02M	14/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	90	LBS
	89023.41.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	90	LBS
	89023.35.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	90	LBS
	89023.XX.05	14/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	90	LBS
	89023.35.05	14/3C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	90	LBS
	89023.XX.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	90	LBS
	89023.35.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	90	LBS
	89023.99.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	US	Distribution products	MTO	90	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	89024.35.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	115	LBS
	89024.99.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	US	Distribution products	MTO	115	LBS
	89024.XX.01	14/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	115	LBS
	89024.35.01	14/4C SJEOOW CAROL ULTRA FLEX BLK	US	Distribution products	MTO	115	LBS

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
89032.XX.01	12/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	14	14	12	Various Lengths
89033.41.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	20	20	15	1000 FT Reel
89033.XX.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	30	30	12	Various Lengths
89033.35.01	12/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	10	250 FT Reel
89033.XX.05	12/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	14	14	12	Various Lengths
89033.41.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	20	20	15	1000 FT Reel
89033.46.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	36	36	18	5000 FT Reel
89033.XX.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	99	99	99	Various Lengths
89033.35.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	12	12	10	250 FT Reel
89033.99.02	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	99	99	99	Factory Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
89033.41.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	22	20	1	1000 FT Reel
89033.46.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	22	20	1	5000 FT Reel
89033.35.02M	12/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	22	20	1	250 FT Reel
89033.41.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	14	14	12	1000 FT Reel
89033.35.01M	12/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	10	250 FT Reel
89034.41.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	20	20	15	1000 FT Reel
89034.XX.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	99	99	99	Various Lengths
89034.35.01	12/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	12	250 FT Reel
89034.41.01M	12/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	14	14	12	1000 FT Reel
92943A.44.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	0	0	0	2500 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
92906A.38.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	FOOT	0	0	0	500 FT Reel
89012.41.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	16	16	12	1000 FT Reel
89012.XX.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	Various Lengths
89012.35.01	16/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	250 FT Reel
89012.41.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	1000 FT Reel
89012.35.01M	16/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	250 FT Reel
89013.35.02M	16/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	12	12	6	250 FT Reel
89013.35.05M	16/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	22	20	1	250 FT Reel
89013.XX.02	16/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	12	12	6	Various Lengths
89013.41.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	12	12	6	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
89013.46.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	34	20	34	5000 FT Reel
89013.35.05	16/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	12	12	6	250 FT Reel
92875A.46.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	0	0	0	5000 FT Reel
89013.41.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	1000 FT Reel
89013.35.01M	16/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	250 FT Reel
89013.41.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	16	16	12	1000 FT Reel
89013.XX.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	Various Lengths
89013.35.01	16/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	250 FT Reel
89014.XX.01	16/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	Various Lengths
89014.35.01	16/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	99	99	99	250 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
89002.41.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	1000 FT Reel
89002.35.01M	18/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	250 FT Reel
89002.41.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	18	18	14	1000 FT Reel
89002.XX.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	Various Lengths
89002.35.01	18/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	250 FT Reel
89003.41.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	16	16	12	1000 FT Reel
89003.XX.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	99	99	99	Various Lengths
89003.35.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	250 FT Reel
89003.99.01	18/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	99	99	99	Factory Reel
89003.41.01M	18/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
89004.XX.01	18/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	99	99	99	Various Lengths
89004.35.01	18/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	99	99	99	250 FT Reel
89004.35.01M	18/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	250 FT Reel
89022.41.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	16	16	14	1000 FT Reel
89022.XX.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	Various Lengths
89022.35.01	14/2C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	8	250 FT Reel
89023.35.05M	14/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	12	12	6	250 FT Reel
89023.41.04	14/3C SJEOOW CAROL ULTRA FLEX ORG	FOOT	12	12	6	1000 FT Reel
89023.99.04	14/3C SJEOOW CAROL ULTRA FLEX ORG	FOOT	99	99	99	Factory Reel
89023.41.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	16	16	14	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
89023.XX.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	16	16	14	Various Lengths
89023.35.01	14/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	250 FT Reel
89023.XX.02M	14/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	48	42	1	Various Lengths
89023.41.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	1000 FT Reel
89023.35.01M	14/3C SJEOOW CAROL ULTRA FLEX BLK	FOOT	22	20	1	250 FT Reel
89023.XX.05	14/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	12	12	6	Various Lengths
89023.35.05	14/3C SJEOOW CAROL ULTRA FLEX YLW	FOOT	12	12	6	250 FT Reel
89023.XX.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	16	16	14	Various Lengths
89023.35.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	12	12	6	250 FT Reel
89023.99.02	14/3C SJEOOW CAROL ULTRA FLEX WHT	FOOT	99	99	99	Factory Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
89024.35.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	FOOT	12	12	6	250 FT Reel
89024.99.05	14/4C SJEOOW CAROL ULTRA FLEX YLW	FOOT	20	20	13	Factory Reel
89024.XX.01	14/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	Various Lengths
89024.35.01	14/4C SJEOOW CAROL ULTRA FLEX BLK	FOOT	12	12	6	250 FT Reel