

STAGE LIGHTING CABLE

Flexible power leads for installation in conduit



GENERAL INFO

No longer are industrial cord products used only in coal mines and industrial plants; today typical applications include providing temporary power to job sites, as well as flexible power leads for installation in conduit. General Cable's role, as the producer of the premiere Carol® Brand industrial cord products, is to ensure that new product development, product innovation and quality not only keep pace with industry requirements but also set the trends. Our industrial cord products carry a full range of listings and certifications with Underwriters Laboratories, Inc. and the Canadian Standard Association. In addition, many products meet or exceed the requirements of UL, CSA, OSHA, MSHA, ICEA and other relevant industry standards. Carol is simply the most accepted brand in the industry, having proven itself on the job time after time. Our industrial cord line is the most comprehensive in the industry, ensuring that the proper Carol product can always be specified.

CONSTRUCTION/DESIGN

Nominal outer diameter [inch]	Conductor strand count	Cable marking	Conductor category	AWG size
0.575	827/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	1
0.575	827/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	1
0.52	655/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	2
0.52	655/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	2
0.475	416/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	4
0.475	416/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	4
0.42	259/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	6
0.42	259/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	6
0.42	259/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	6
0.385	168/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	8
0.765	2062/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	Other
0.645	1316/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	Other
0.6	1042/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	Other
US00_W1_ENTERTAINMENT_ST_10/13/2022 0.645	1316/30	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Class 2 = stranded	Other

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
01105.99.01M	1 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	1		1	Black
01105.XX.01	1 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	1	NA	1	Black
01105.99.01	1 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	1	NA	1	Black
01106.41.01	2 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	2	NA	1	Black
01106.41T.01	2 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	2	NA	1	Black
01106.XX.01	2 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	2	NA	1	Black
01106.99.01	2 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	2	NA	1	Black
01106.41T.01M	2 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	2	NA	1	Black
01106.99.01M	2 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	2	NA	1	Black
01107.41T.01M	4 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	4	NA	1	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
01107.99.01M	4 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	4	NA	1	Black
01107.41.01	4 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	4	NA	1	Black
01107.41T.01	4 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	4	NA	1	Black
01107.XX.01	4 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	4	NA	1	Black
01107.99.01	4 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	4	NA	1	Black
01108.41.01	6 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Black
01108.XX.01	6 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Black
01108.99.01	6 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Black
01108.41.06	6 AWG STAGE LIGHTING CABLE GRN	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Green
01108.41T.06	6 AWG STAGE LIGHTING CABLE GRN	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Green

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
01108.XX.06	6 AWG STAGE LIGHTING CABLE GRN	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Green
01108.99.06	6 AWG STAGE LIGHTING CABLE GRN	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Green
01108.41T.06M	6 AWG STAGE LIGHTING CABLE GRN	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	6	NA	1	Green
01109.99.01	8 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	8	NA	1	Black
01101.41.01	4/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01101.41T.01	4/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01101.XX.01	4/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01101.99.01	4/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01103.41.01	2/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01103.41T.01	2/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
01103.XX.01	2/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01103.99.01	2/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01104.41T.01M	1/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01104.XX.01M	1/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01104.99.01M	1/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01103.XX.01M	2/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01103.99.01M	2/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01104.41T.01	1/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01104.XX.01	1/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01104.99.01	1/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black

PRODUCT DETAILS

Part number	Product name	Cable marking	AWG size	Core colors	Number of cores	Color outer jacket
01754.41T.01	1/0 AWG WELDING CABLE BLK	CAROLPRENE (SIZE) AWG 105°C WELDING CABLE 600 VOLT P-07-KA100015-MSHA MADE IN USA (TRU-MARK SEQUENTIAL FOOTAGE)	Other	NA	1	Black
01101.41T.01M	4/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black
01101.99.01M	4/0 AWG STAGE LIGHTING CABLE BLK	CAROL (SIZE) (UL) 600 VOLT TYPE SC (-50°C to +105°C) OIL RES 60°C MAX. AMPS NEC TABLE 400-5 (B) FOR 90°C OUTDOOR --- CSA TYPE PPC 105°C 600 VOLT FT5 ROHS MADE IN USA	Other	NA	1	Black

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
01105.99.01M	1 AWG STAGE LIGHTING CABLE BLK			0.575				14.61
01105.XX.01	1 AWG STAGE LIGHTING CABLE BLK			0.575				14.61
01105.99.01	1 AWG STAGE LIGHTING CABLE BLK			0.575				14.61
01106.41.01	2 AWG STAGE LIGHTING CABLE BLK			0.52				13.21
01106.41T.01	2 AWG STAGE LIGHTING CABLE BLK			0.52				13.21
01106.XX.01	2 AWG STAGE LIGHTING CABLE BLK			0.52				13.21
01106.99.01	2 AWG STAGE LIGHTING CABLE BLK			0.52				13.21
01106.41T.01M	2 AWG STAGE LIGHTING CABLE BLK			0.52				13.21
01106.99.01M	2 AWG STAGE LIGHTING CABLE BLK			0.52				13.21
01107.41T.01M	4 AWG STAGE LIGHTING CABLE BLK			0.475				12.07

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
01107.99.01M	4 AWG STAGE LIGHTING CABLE BLK			0.475				12.07
01107.41.01	4 AWG STAGE LIGHTING CABLE BLK			0.475				12.07
01107.41T.01	4 AWG STAGE LIGHTING CABLE BLK			0.475				12.07
01107.XX.01	4 AWG STAGE LIGHTING CABLE BLK			0.475				12.07
01107.99.01	4 AWG STAGE LIGHTING CABLE BLK			0.475				12.07
01108.41.01	6 AWG STAGE LIGHTING CABLE BLK			0.42				10.67
01108.XX.01	6 AWG STAGE LIGHTING CABLE BLK			0.42				10.67
01108.99.01	6 AWG STAGE LIGHTING CABLE BLK			0.42				10.67
01108.41.06	6 AWG STAGE LIGHTING CABLE GRN			0.42				10.67
01108.41T.06	6 AWG STAGE LIGHTING CABLE GRN			0.42				10.67

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
01108.XX.06	6 AWG STAGE LIGHTING CABLE GRN			0.42				10.67
01108.99.06	6 AWG STAGE LIGHTING CABLE GRN			0.42				10.67
01108.41T.06M	6 AWG STAGE LIGHTING CABLE GRN			0.42				10.67
01109.99.01	8 AWG STAGE LIGHTING CABLE BLK			0.385				9.78
01101.41.01	4/0 AWG STAGE LIGHTING CABLE BLK			0.765				19.43
01101.41T.01	4/0 AWG STAGE LIGHTING CABLE BLK			0.765				19.43
01101.XX.01	4/0 AWG STAGE LIGHTING CABLE BLK			0.765				19.43
01101.99.01	4/0 AWG STAGE LIGHTING CABLE BLK			0.765				19.43
01103.41.01	2/0 AWG STAGE LIGHTING CABLE BLK			0.645				16.38
01103.41T.01	2/0 AWG STAGE LIGHTING CABLE BLK			0.645				16.38

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
01103.XX.01	2/0 AWG STAGE LIGHTING CABLE BLK			0.645				16.38
01103.99.01	2/0 AWG STAGE LIGHTING CABLE BLK			0.645				16.38
01104.41T.01M	1/0 AWG STAGE LIGHTING CABLE BLK			0.6				15.24
01104.XX.01M	1/0 AWG STAGE LIGHTING CABLE BLK			0.6				15.24
01104.99.01M	1/0 AWG STAGE LIGHTING CABLE BLK			0.6				15.24
01103.XX.01M	2/0 AWG STAGE LIGHTING CABLE BLK			0.645				16.38
01103.99.01M	2/0 AWG STAGE LIGHTING CABLE BLK			0.645				16.38
01104.41T.01	1/0 AWG STAGE LIGHTING CABLE BLK			0.6				15.24
01104.XX.01	1/0 AWG STAGE LIGHTING CABLE BLK			0.6				15.24
01104.99.01	1/0 AWG STAGE LIGHTING CABLE BLK			0.6				15.24

APPLICATION PROPERTIES

Part number	Product name	Conductor resistance at operation temperature [mOhm/ft]	Nominal insulation thickness [inch]	Nominal outer diameter [inch]	Nominal operation capacitance [pF/ft]	Shield DC resistance [mOhm/ft]	Nominal insulation thickness [mm]	Nominal outer diameter [mm]
01754.41T.01	1/0 AWG WELDING CABLE BLK			0.6				15.24
01101.41T.01M	4/0 AWG STAGE LIGHTING CABLE BLK			0.765				19.43
01101.99.01M	4/0 AWG STAGE LIGHTING CABLE BLK			0.765				19.43

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	01105.99.01M	1 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	360	LBS
	01105.XX.01	1 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	360	LBS
	01105.99.01	1 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	360	LBS
	01106.41.01	2 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	296	LBS
	01106.41T.01	2 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTS	296	LBS
	01106.XX.01	2 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	296	LBS
	01106.99.01	2 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	296	LBS
	01106.41T.01M	2 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	296	LBS
	01106.99.01M	2 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	296	LBS
	01107.41T.01M	4 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	215	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	01107.99.01M	4 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	215	LBS
	01107.41.01	4 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	215	LBS
	01107.41T.01	4 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTS	215	LBS
	01107.XX.01	4 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	215	LBS
	01107.99.01	4 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	215	LBS
	01108.41.01	6 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	152	LBS
	01108.XX.01	6 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	152	LBS
	01108.99.01	6 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	152	LBS
	01108.41.06	6 AWG STAGE LIGHTING CABLE GRN	US	Distribution products	MTO	152	LBS
	01108.41T.06	6 AWG STAGE LIGHTING CABLE GRN	US	Distribution products	MTS	152	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	01108.XX.06	6 AWG STAGE LIGHTING CABLE GRN	US	Distribution products	MTO	152	LBS
	01108.99.06	6 AWG STAGE LIGHTING CABLE GRN	US	Distribution products	MTO	152	LBS
	01108.41T.06M	6 AWG STAGE LIGHTING CABLE GRN	US	Distribution products	MTO	152	LBS
	01109.99.01	8 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	110	LBS
	01101.41.01	4/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	824	LBS
	01101.41T.01	4/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTS	824	LBS
	01101.XX.01	4/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	824	LBS
	01101.99.01	4/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	824	LBS
	01103.41.01	2/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	513	LBS
	01103.41T.01	2/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTS	513	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	01103.XX.01	2/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	513	LBS
	01103.99.01	2/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	513	LBS
	01104.41T.01M	1/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	424	LBS
	01104.XX.01M	1/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	424	LBS
	01104.99.01M	1/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	424	LBS
	01103.XX.01M	2/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	513	LBS
	01103.99.01M	2/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	513	LBS
	01104.41T.01	1/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	424	LBS
	01104.XX.01	1/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	424	LBS
	01104.99.01	1/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	424	LBS

PRODUCT DETAILS

SPEC number	Part number	Product name	Country of origin	Distribution type	Stock item	Net weight	Weight unit
	01754.41T.01	1/0 AWG WELDING CABLE BLK	US	Distribution products	MTO	415	LBS
	01101.41T.01M	4/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	824	LBS
	01101.99.01M	4/0 AWG STAGE LIGHTING CABLE BLK	US	Distribution products	MTO	824	LBS

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
01105.99.01M	1 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	1	Factory Reel
01105.XX.01	1 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Various Lengths
01105.99.01	1 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	1	Factory Reel
01106.41.01	2 AWG STAGE LIGHTING CABLE BLK	FOOT	24	22	24	1000 FT Reel
01106.41T.01	2 AWG STAGE LIGHTING CABLE BLK	FOOT	24	22	24	1000 FT Reel
01106.XX.01	2 AWG STAGE LIGHTING CABLE BLK	FOOT	24	22	24	Various Lengths
01106.99.01	2 AWG STAGE LIGHTING CABLE BLK	FOOT	49	42	48	Factory Reel
01106.41T.01M	2 AWG STAGE LIGHTING CABLE BLK	FOOT	22	20	1	1000 FT Reel
01106.99.01M	2 AWG STAGE LIGHTING CABLE BLK	FOOT	49	42	1	Factory Reel
01107.41T.01M	4 AWG STAGE LIGHTING CABLE BLK	FOOT	22	20	1	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
01107.99.01M	4 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Factory Reel
01107.41.01	4 AWG STAGE LIGHTING CABLE BLK	FOOT	20	13	20	1000 FT Reel
01107.41T.01	4 AWG STAGE LIGHTING CABLE BLK	FOOT	20	13	20	1000 FT Reel
01107.XX.01	4 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	1	Various Lengths
01107.99.01	4 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Factory Reel
01108.41.01	6 AWG STAGE LIGHTING CABLE BLK	FOOT	20	13	20	1000 FT Reel
01108.XX.01	6 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	42	Various Lengths
01108.99.01	6 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Factory Reel
01108.41.06	6 AWG STAGE LIGHTING CABLE GRN	FOOT	20	13	20	1000 FT Reel
01108.41T.06	6 AWG STAGE LIGHTING CABLE GRN	FOOT	20	13	20	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
01108.XX.06	6 AWG STAGE LIGHTING CABLE GRN	FOOT	48	42	1	Various Lengths
01108.99.06	6 AWG STAGE LIGHTING CABLE GRN	FOOT	48	42	48	Factory Reel
01108.41T.06M	6 AWG STAGE LIGHTING CABLE GRN	FOOT	22	20	1	1000 FT Reel
01109.99.01	8 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	1	Factory Reel
01101.41.01	4/0 AWG STAGE LIGHTING CABLE BLK	FOOT	30	12	18	1000 FT Reel
01101.41T.01	4/0 AWG STAGE LIGHTING CABLE BLK	FOOT	30	12	18	1000 FT Reel
01101.XX.01	4/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Various Lengths
01101.99.01	4/0 AWG STAGE LIGHTING CABLE BLK	FOOT	49	42	48	Factory Reel
01103.41.01	2/0 AWG STAGE LIGHTING CABLE BLK	FOOT	27	22	27	1000 FT Reel
01103.41T.01	2/0 AWG STAGE LIGHTING CABLE BLK	FOOT	27	22	27	1000 FT Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
01103.XX.01	2/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Various Lengths
01103.99.01	2/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Factory Reel
01104.41T.01M	1/0 AWG STAGE LIGHTING CABLE BLK	FOOT	22	20	1	1000 FT Reel
01104.XX.01M	1/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Various Lengths
01104.99.01M	1/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Factory Reel
01103.XX.01M	2/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Various Lengths
01103.99.01M	2/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Factory Reel
01104.41T.01	1/0 AWG STAGE LIGHTING CABLE BLK	FOOT	24	22	24	1000 FT Reel
01104.XX.01	1/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Various Lengths
01104.99.01	1/0 AWG STAGE LIGHTING CABLE BLK	FOOT	48	42	48	Factory Reel

PRODUCT PACKAGING

Part number	Product name	Packaging unit	Packaging length	Packaging width	Packaging height	Put up
01754.41T.01	1/0 AWG WELDING CABLE BLK	FOOT	24	22	24	1000 FT Reel
01101.41T.01M	4/0 AWG STAGE LIGHTING CABLE BLK	FOOT	30	12	18	1000 FT Reel
01101.99.01M	4/0 AWG STAGE LIGHTING CABLE BLK	FOOT	49	42	48	Factory Reel