Product data sheet Characteristics

5084NL-PW

Wall Plate, C-Bus, Saturn, key input unit, A-Series, 4 keys, pure white



Main Product brand Clipsal Range C-Bus Product name C-Bus Saturn A Series Product or component type Device application Control

Complementary

Complementary	
Device presentation	Basic element with full cover plate
Colour	Pure white
Number of gangs	4 gangs
Control type	Push-button
Provided equipment	Fascia plate Body switch Push-button cap
Material	Plastic
[Ue] rated operational voltage	1536 V DC
[In] rated current	22 mA
Communication network type	C-Bus 50
Input impedance	50 kOhm at 1 kHz
Isolation voltage	3.75 kV from C-Bus to mains
Switch function	Load switching Dimmer Time switch function Scene control Roller shutter Bell push switch Curtain
Local signalling	LED (blue/orange) for status
Time delay range	5 s
Connections - terminals	Terminal block - 0.21.3 mm² (AWG 24AWG 16)
Mounting support	Wall box
Fixing center	84 mm
Width	75 mm
Height	116 mm
Depth	28 mm
Product weight	54 g

Environment

Ambient air temperature for operation	045 °C
Relative humidity	1095 % non-condensing

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Weight	250 g	
Package 1 Height	6.4 cm	
Package 1 width	10.8 cm	
Package 1 Length	15 cm	

Offer Sustainability

Green Premium product
☑ REACh Declaration
Yes
Compliant EEU RoHS Declaration
Yes
€Yes
China RoHS Declaration
Product Environmental Profile
End Of Life Information
The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins