



A-Shape LED

13.5A19/LED/950/FR/P/ND 4/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


Product data

General information		Warm Up Time to 60% Light (Nom)		0.5 s
Cap-Base	E26 [Single Contact Medium Screw]	Power Factor (Nom)		0.5
EU RoHS compliant	Yes	Voltage (Nom)		120 V
Nominal Lifetime (Nom)	11000 h	Temperature		
Switching Cycle	50000	T-Case Maximum (Nom)		95 °C
Tier	CorePro	Controls and dimming		
Light technical		Dimmable		No
Color Code	950 [CCT of 5000K]	Mechanical and housing		
Beam Angle (Nom)	150 °	Bulb Finish		Frosted
Luminous Flux (Nom)	1500 lm	Bulb Material		Plastic
Color Designation	Daylight	Bulb Shape		A19 [A 19mm]
Correlated Color Temperature (Nom)	5000 K	Approval and application		
Luminous Efficacy (rated) (Nom)	111.00 lm/W	Energy Certifications		No
Color Consistency	<6	Product data		
Color Rendering Index (Nom)	90	Order product name		13.5A19/LED/950/FR/P/ND 4/1FB
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product		046677565190
Operating and electrical		Order code		929003005604
Input Frequency	60 Hz	Numerator - Quantity Per Pack		1
Power (Nom)	13.5 W	Numerator - Packs per outer box		4
Lamp Current (Nom)	223 mA			
Wattage Equivalent	100 W			
Starting Time (Nom)	0.5 s			

A-Shape LED

Material Nr. (12NC)	929003005604
Net Weight (Piece)	0.050 kg


Dimensional drawing




13.5A19/LED/950/FR/P/ND 4/1FB

Product	D	C
13.5A19/LED/950/FR/P/ND 4/1FB	60 mm	117 mm


Photometric data



LEDbulb G6 13,5W A19 E26 950 FR-POC




LEDbulb G6 13,5W A19 E26 950 FR-GUL




LEDbulb G6 A19 13,5W E26 950 FR-LDD

A-Shape LED

Lifetime



Lumen Maintenance Diagram



Life Expectancy Diagram

