



A-Shape LED

12.2A19/PER/930/P/E26/DIM 6/1FB T20

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data


General information	
Cap-Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000
Light technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	250 °
Luminous Flux (Nom)	1100 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	60 Hz
Power (Nom)	12.2 W
Lamp Current (Nom)	100 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power Factor (Nom)	0.7
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and dimming	
Dimmable	Yes
Mechanical and housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A19 [A 19mm]
Approval and application	
Energy Consumption kWh/1000 h	- kWh
Energy Certifications	Energy Star
Product data	
Order product name	12.2A19/PER/930/P/E26/DIM 6/1FB T20
EAN/UPC - Product	046677561048
Order code	929002385304
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6

A-Shape LED

Material Nr. (12NC)	929002385304
Net Weight (Piece)	0.060 kg


Dimensional drawing




12.2A19/PER/930/P/E26/DIM 6/1FB T20

Product	D	C
12.2A19/PER/930/P/E26/DIM 6/1FB T20	60 mm	112 mm


Photometric data



LEDbulb A19 12,2W E26 1100lm 930 FR



LEDbulb 12,2W A19 E26 930 FR



LEDbulb 12,2W A19 E26 930 FR

A-Shape LED

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

