



LED MR16

6.3MR16/LED/F35/927/D/EC/12V T20 10/1FB

Philips LED MR-16 lamps with single optic technology provide the look and color quality of traditional halogens while using a fraction of the energy. A perfect fit for spot lighting, they are compatible with most existing fixtures with MR16 GU5.3 holders and are designed as a retrofit replacement for halogen or incandescent spots.

Product data

General information	
Cap-Base	GU5.3 [GU5.3]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Light technical	
Color Code	927 [CCT of 2700K]
Beam Angle (Nom)	35°
Luminous Flux (Nom)	470 lm
Luminous Intensity (Nom)	1110 cd
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	74.00 lm/W
Color Consistency	<3
Color Rendering Index (Nom)	91
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	- Hz
Power (Nom)	6.3 W
Lamp Current (Nom)	600 mA

42 W	
0.5 s	
0.5 s	
0.9	
ac electronic 12 V	
89 ℃	
Only with specific dimmers	
Clear	
Aluminum	
MR16 [2inch/50mm]	
Yes	
Energy Star	
Eliciby Stai	


Datasheet, 2022, August 4 data subject to change

LED MR16

Product data	
Order product name	6.3MR16/LED/F35/927/D/EC/12V T20 10/1FB
EAN/UPC - Product	046677573553
Order code	929003080504
Numerator - Quantity Per Pack	1


Numerator - Packs per outer box	10
Material Nr. (12NC)	929003080504
Copy Net Weight (Piece)	0.052 kg

Dimensional drawing



Product	D	С
6.3MR16/LED/F35/927/D/EC/12V T20 10/1FB	50.5 mm	46 mm


Photometric data





120° 180° 120° 90° 2500 60° 500 60° 1000 750 750 30° (cd) 0°

LEDspots DIM IC 6,3W MR16 GU5,3 927 35D-ADL





LEDspots DIM IC 6,3W MR16 GU5,3 927 25D-POC

LEDspots DIM IC 6,3W MR16 GU5,3 927 35D-LDD

LED MR16

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.