



A-Shape LED

16.6A19/LED/950/FR/P/E26/ND/T20 6/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data


General information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	11000 h
Switching Cycle	50000
Tier	CorePro
Light technical	
Color Code	950 [CCT of 5000K]
Beam Angle (Nom)	250 °
Initial lumen (Nom)	1500 lm
Color Designation	Daylight
Correlated Color Temperature (Nom)	5000 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	60 Hz
Power (Rated) (Nom)	16.6 W
Lamp Current (Nom)	118 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)		0.5 s
Power Factor (Nom)		0.7
Voltage (Nom)		120 V
Temperature		
T-Case Maximum (Nom)		194 °F
Controls and dimming		
Dimmable		No
Mechanical and housing		
Bulb Finish		Frosted
Bulb Material		Plastic
Bulb Shape		A19 (A19)
Approval and application		
Energy Certifications		No
Product data		
Order product name		16.6A19/LED/950/FR/P/E26/ND/T20 6/1FB
EAN/UPC - Product		04667751696
Order code		571695
Numerator - Quantity Per Pack		1
Numerator - Packs per outer box		6

A-Shape LED

Material Nr. (12NC)	929003021004
Net Weight (Piece)	0.121 lb


Dimensional drawing




16.6A19/LED/950/FR/P/E26/ND/T20 6/1FB

Product	D	C
16.6A19/LED/950/FR/P/E26/ND/T20 6/1FB	2-3/8 in	4-5/8 in

Photometric data




Product Photometric Data Page 11



LEDbulb T20 16,6W A19 E26 950 FR 1-GUL

LEDbulb T20 16,6W A19 E26 950 FR-POC




LEDbulb T20 A19 16,6W E26 950 FR-LDD

A-Shape LED

Lifetime



Lumen Maintenance Diagram



Life Expectancy Diagram

