

APC Replacement Battery Cartridge for Back-UPS, 12V 9Ah lead-acid battery, 2-year repair or replace warranty

RBC17

## **Overview**

Lead time Usually in Stock

## Main

Product or Component Type	Replacement battery cartridge	
Number of cables	1	
Battery Type	Lead-Acid battery	
Provided Equipment	All required connectors Battery recycling guide Reusable packaging Installation guide	

## **Batteries & Runtime**

Battery location	Internal Battery	
Battery Slots Empty	0	
Included Battery Modules	0	
Device mounting	Stand alone battery stack	
Battery Voltage	12 V	
RBC Quantity	1	

# **Physical**

Color	Black
Height	2.56 in (6.5 cm)
Width	3.70 in (9.4 cm)
Depth	5.94 in (15.1 cm)
Net Weight	5.71 lb(US) (2.59 kg)
Mounting Mode	Not rack-mountable
USB compatible	No

## **Output**

Battery Capacity 9.0 Ah

### **Environmental**

Ambient air temperature for operation	32104 °F (040 °C)
Operating altitude	010000 ft

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Relative Humidity	095 %
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 %

# Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS	
GTIN	731304206811	
Returnability	No	

# **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.50 in (8.900 cm)
Package 1 Width	6.89 in (17.500 cm)
Package 1 Length	8.39 in (21.300 cm)
Package 1 Weight	6.305 lb(US) (2.860 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	48
Package 2 Height	31.50 in (80.000 cm)
Package 2 Width	31.50 in (80.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	306.037 lb(US) (138.816 kg)

# **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg CO2 eq, Total Life cycle)	9
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes