

APC Replacement Battery Cartridge, Valve regulated lead-acid battery, 7Ah, 12VDC, 2-year warranty

RBC2

Overview

Lead time Usually in Stock

Main

Product or Component Type	Replacement battery cartridge	
Number of cables	1	
Battery Type	Lead-Acid battery	
Provided Equipment	All required connectors Battery recycling guide Reusable packaging Installation guide	

Batteries & Runtime

Battery Slots Empty	0
Included Battery Modules	0
Battery Voltage	12 V
RBC Quantity	1

Physical

Color	Black
Height	3.70 in (9.4 cm)
Width	2.52 in (6.4 cm)
Depth	5.94 in (15.1 cm)
Net Weight	5.5 lb(US) (2.5 kg)
Mounting Mode	Not rack-mountable
USB compatible	No

Output

Battery Capacity 7.0 Ah

Environmental

Ambient air temperature for operation	32104 °F (040 °C)	
Operating altitude	010000 ft	
Relative Humidity	095 %	
Ambient Air Temperature for Storage	5113 °F (-1545 °C)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 %

Ordering and shipping details

GTIN 731304003243

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	3.50 in (8.900 cm)	
Package 1 Width	6.89 in (17.500 cm)	
Package 1 Length	8.39 in (21.300 cm)	
Package 1 Weight	6.105 lb(US) (2.769 kg)	
Unit Type of Package 2	S03	
Number of Units in Package 2	4	
Package 2 Height	11.81 in (30.000 cm)	
Package 2 Width	11.81 in (30.000 cm)	
Package 2 Length	15.75 in (40.000 cm)	
Package 2 Weight	24.436 lb(US) (11.084 kg)	
Unit Type of Package 3	P12	
Number of Units in Package 3	32	
Package 3 Height	17.72 in (45.000 cm)	
Package 3 Width	31.50 in (80.000 cm)	
Package 3 Length	47.24 in (120.000 cm)	
Package 3 Weight	221.944 lb(US) (100.672 kg)	

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	9
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes