

# Product data sheet

Specifications



## APC NetShelter Power Cord, C19 to IEC309 16A, 2.5m

AP9876

Product availability: Stock - Normally stocked in distribution facility

### Overview

Lead time	Usually in Stock
-----------	------------------

### Main

Product or Component Type	Power cord
Input Connection Type	IEC 60309 16 A
Cable length	8.2 ft (2.5 m)
Number of cables	1

### Physical

Color	Black
Net Weight	0.53 lb(US) (0.24 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

### Input

Input Frequency	50/60 Hz
Acceptable Input Voltage	90...250 V
Max line current	16 A
Input current limits	16 A

### Output

Maximum Total Current Draw per Phase	16 A
Number of power socket outlets	1 IEC 60320 C19
Protection Type	Without circuit breaker

### Conformance

Product Certifications	VDE
------------------------	-----

### Environmental

Ambient Air Temperature for Operation	32...113 °F (0...45 °C)
Relative Humidity	0...95 %
Operating altitude	0...10000 ft

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature for Storage	-13...149 °F (-25...65 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...50000 ft (0...15240 m)

## Ordering and shipping details

Category	11309-APC RESALE PRODUCTS
Discount Schedule	APC1
GTIN	731304189398
Returnability	No
Country of origin	CN

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.01 in (5.1 cm)
Package 1 Width	4.02 in (10.2 cm)
Package 1 Length	7.99 in (20.3 cm)
Package 1 Weight	0.659 lb(US) (0.299 kg)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.17 in (23.3 cm)
Package 2 Width	12.80 in (32.5 cm)
Package 2 Length	20.87 in (53 cm)
Package 2 Weight	11.2 lb(US) (5.1 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	10
Package 3 Height	56.69 in (143.99 cm)
Package 3 Width	39.37 in (100 cm)
Package 3 Length	47.24 in (120 cm)
Package 3 Weight	11.2 lb(US) (5.1 kg)

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	76
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
Halogen content performance	Product contains halogen above thresholds

Use Again


Repack and remanufacture	
Circularity Profile	<a href="#">End of Life Information</a>
Take-back	Yes
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

---

