



APC NetShelter SX, Server Rack Enclosure, 24U, Black, 1198.5H x 600W x 1070D mm [TAA]

AR3104

Overview

Presentation	An industry-standard rack with the most standard features for speed of deployment and installation. Ready for low to medium density edge computing.
Lead time	Usually in Stock

Main

Product or Component Type	Rack enclosure
Number of rack unit	24U
Provided equipment	Casters Doors Key(s) Leveling feet Roof Side Panels

Physical

Height	47.19 in (119.85 cm)
Width	23.62 in (60 cm)
Depth	42.13 in (107 cm)
Net Weight	196.41 lb(US) (89.09 kg)
Color	Black
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	36.02 in (91.49 cm)
minimum mounting depth	7.52 in (19.1 cm)
Rack Width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	2250 lb(US) (1020.6 kg) dynamic 3000 lb(US) (1360.8 kg) static

Conformance

Standards	UL 2416	
Otandards	OL 2410	
	UL 60950-1	
	EIA-310E	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ordering and shipping details

GTIN 731304261889

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	52.05 in (132.2 cm)
Package 1 Width	29.37 in (74.6 cm)
Package 1 Length	45.51 in (115.6 cm)
Package 1 Weight	235.50 lb(US) (106.82 kg)

Compliance

Compliance TAA
BAA via COTS

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	324	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

♡ Repa	ack and remanufacture	
Circul	arity Profile	End of Life Information
Take-	back	Yes

Image of product / Alternate images

Alternative













