



APC NetShelter SX, Server Rack Enclosure, 18U, Shock Packaging, Black, 925H x 600W x 900D mm [TAA]

AR3006SP

### **Overview**

Presentation	An industry-standard server rack with height designed to easily fit through standard doorways. Ready for medium to high-density environments.
Lead time	Usually in Stock

### Main

Product or Component Type	Rack enclosure
Number of rack unit	18U
Provided equipment	Casters
	Doors
	Key(s)
	Leveling feet
	Reusable packaging
	Roof
	Side Panels
	Pallet ramps

## **Physical**

_	
Height	36.42 in (92.5 cm)
Width	23.62 in (60 cm)
Depth	35.43 in (90 cm)
Net Weight	148.00 lb(US) (67.13 kg)
Color	Black
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	29.75 in (75.57 cm)
minimum mounting depth	7.52 in (19.1 cm)
Rack Width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	900 lb(US) (408.2 kg) dynamic 900 lb(US) (408.2 kg) static

### Conformance

Standards	UL 2416	
	UL 60950-1	
	EIA-310E	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Ordering and shipping details

GTIN 731304347668

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	48.03 in (122 cm)
Package 1 Width	42.13 in (107 cm)
Package 1 Length	29.53 in (75 cm)
Package 1 Weight	264.6 lb(US) (120 kg)

## Compliance

Compliance TAA
BAA via COTS

## **Contractual warranty**

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

<b>⊘</b> Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	364	

#### **Use Better**

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
᠃ Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes

Image of product / Alternate images

### **Alternative**



