



APC Replacement Battery Cartridge for Smart-UPS Line Interactive, 24V 17Ah lead-acid battery, 2-year repair or replace warranty

RBC48

### **Overview**

Lead time Usually in Stock

## Main

Product or Component Type	Replacement battery cartridge	
Battery Type	Lead-Acid battery	
Provided Equipment	All required connectors Battery recycling guide Reusable packaging Installation guide	
Range of Product	Replacement Battery Cartridges	

## **Batteries & Runtime**

Battery blocks per string	2	
Battery Slots Empty	0	
Included Battery Modules	0	
Device mounting	Stand alone battery stack	
Battery Voltage	24 V	
RBC Quantity	1	

## **Physical**

•	
Height	4.25 in (10.8 cm)
Width	5.20 in (13.2 cm)
Depth	5.91 in (15 cm)
Net Weight	11.02 lb(US) (5 kg)
Mounting Mode	Not rack-mountable
USB compatible	No

## Output

Battery Capacity 7.0 Ah

## **Environmental**

Ambient Air Temperature for Operation	32104 °F (040 °C)
Operating altitude	010000 ft

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Relative Humidity	095 %	
Ambient Air Temperature for Storage	5113 °F (-1545 °C)	
Storage altitude	050000 ft (015240 m)	
Storage Relative Humidity	n 95 %	

# Ordering and shipping details

**GTIN** 731304221586

# **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	6.61 in (16.800 cm)	
Package 1 Width	8.82 in (22.400 cm)	
Package 1 Length	6.61 in (16.800 cm)	
Package 1 Weight	13.029 lb(US) (5.910 kg)	
Unit Type of Package 2	S03	
Number of Units in Package 2	2	
Package 2 Height	11.81 in (30.000 cm)	
Package 2 Width	11.81 in (30.000 cm)	
Package 2 Length	15.75 in (40.000 cm)	
Package 2 Weight	26.059 lb(US) (11.820 kg)	
Unit Type of Package 3	P12	
Number of Units in Package 3	32	
Package 3 Height	31.50 in (80.000 cm)	
Package 3 Width	31.50 in (80.000 cm)	
Package 3 Length	47.24 in (120.000 cm)	
Package 3 Weight	416.939 lb(US) (189.120 kg)	

# **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	19
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes

# **Product data sheet**

RBC48

Image of product / Alternate images

**Alternative** 

