



APC NetShelter Specialty Enclosures, Seismic Enclosure, 42U, with sides, Black

AR2144BLK

Overview

Lead time Special Order - Call for Quoted Lead Times

Main

Product or Component Type	Rack enclosure
Number of rack unit	42U
Number of cables	1
Provided equipment	Doors
	Key(s)
	Roof
	Side Panels
	User Manual

Physical

Height	81.50 in (207 cm)	
Width	23.50 in (59.7 cm)	
Depth	42.20 in (107.2 cm)	
Net Weight	519.08 lb(US) (235.45 kg)	
Color	Black	
Mounting preference	No preference	
Mounting Mode	Not rack-mountable	
Maximum Mounting Depth	36.77 in (93.4 cm)	
Rack Width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof 20 gauge side panels	
Permanent permissible load	1000 lb(US) (453.6 kg) static	

Conformance

Standards NEBS GR-63-CORE (Seismic Zone 4)
EIA-310E

Ordering and shipping details

GTIN 731304205227

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	87.01 in (221 cm)
Package 1 Width	47.52 in (120.7 cm)
Package 1 Length	29.49 in (74.9 cm)
Package 1 Weight	557.17 lb(US) (252.73 kg)

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	767	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes

Image of product / Alternate images

Alternative



















