Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Lifting eyebolts, PanelSeT SFN, Spacial SF, steel, M12, set of 4



NSYSFEB

Product availability: Stock - Normally stocked in distribution facility

Overview

Lead time Usually Ships within 4 Weeks

Main

Area	PanelSeT	
category	Lifting accessory	
Product or Component Type	Lifting eye	
Application	Multi-purpose	
Mounting Location	Enclosure top	
Mounting Support	Directly in the axis of the uprights	
Range compatibility	Prisma Prisma PH PanelSeT PanelSeT SFHD PanelSeT PanelSeT SFM	
Device composition	4 eyebolt	
Quantity per Set	Set of 1	

Complementary

Material	cast steel	
Surface Finish	Galvanized	
Fixing mode	Screwed	
Permanent permissible load	749.6 lb(US) (340 kg) for 1 eyebolt vertical direction	
Height	2.5 in (62.5 mm)	
Width	2.2 in (55 mm)	
Depth	0.9 in (24 mm)	
Diameter	1.1 in (29 mm)	
ISO thread	M12	

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606485131542
Returnability	Yes
Country of origin	ES

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	2.95 in (7.500 cm)	
Package 1 Width	3.54 in (9.000 cm)	
Package 1 Length	5.51 in (14.000 cm)	
Package 1 Weight	24.409 oz (692.000 g)	
Unit Type of Package 2	P12	
Number of Units in Package 2	400	
Package 2 Height	31.50 in (80.000 cm)	
Package 2 Width	31.50 in (80.000 cm)	
Package 2 Length	47.24 in (120.000 cm)	
Package 2 Weight	638.900 lb(US) (289.800 kg)	

Contractual warranty

Coverage	Core product
Warranty	18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	5
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No