ッ nvent

Product name: GEM25A Page: 1/1

Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product name: GEM25A

**GEM25ABKT** 

Container size: GEM25A: 25-lb. (11.36 kg) bag with handles

GEM25ABKT: 25-lb. (11.36 kg) plastic bucket with locking lid

Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Ground Enhancing Material

Details of the supplier of the safety data sheet

Manufacturer: nVent

**ERICO International Corporation** 

34600 Solon Road Solon, Ohio 44139 Tel:(440) 248-0100

Further information can be

obtained from:

erico.compliance@nvent.com

Emergency telephone number

Emergency telephone: National Capital Poison Center: 1-800-222-1222

Chemtel

1-800-255-3924 USA

+01-813-248-0585 International

Product name: GEM25A Page: 2/11

Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

OSHA 2012: Skin Irritant Category 2

Serious Eye Damage Category 1 Skin Sensitizer Category 1

Category 3 Target organ toxicant, Single Exposure (respiratory tract irritation)

# **Label elements**



Danger

Contains: Portland cement

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

P261 Avoid breathing dust.

P280 Wear eye protection and gloves.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P501 Dispose of contents/container in accordance with local regulations.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Other hazards

Other: Contact with wet cement/mixture may cause burns. Frequent inhalation of dust

over a long period of time increases the risk of developing lung diseases.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Product name: GEM25A Page: 3/11

2020-11-03

#

Supersedes date: Revision:

SDS-ID: GEM25A\_US Version number: US-EN/1.0

#### **Mixtures**

1-5

Only classified substances above threshold limits or substances with an exposure limit are shown.

OSHA 2012:

CAS-No.: %: EC No.: REACH Chemical name: Hazard classification: Notes: Reg. No: 10-30 65997-15-1 266-043-4 Portland cement Skin Irritation Category 2 Serious Eye Damage Category 1 Skin Sensitizer Category 1 STOT Single Exposure Category 3 <2.5 13780-06-8 237-424-2 -Calcium nitrite Oxidizing Solid Category 3 Acute Oral Toxicity Category 4 Eye Irritation Category 2A Aquatic Acute Toxicity Category 1

Notes: #: The substance has been assigned an exposure limit.

References: The full text for all hazard statements is displayed in section 16.

### **SECTION 4: FIRST AID MEASURES**

215-279-6

### **Description of first aid measures**

1317-65-3

Inhalation: Move injured person into fresh air and keep person calm under observation. If

Limestone

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

Seek medical attention for all burns, regardless how minor they may seem.

Eye contact: Important! Immediately rinse with water for at least 15 minutes. Do not rub eye.

Seek medical attention for all burns, regardless how minor they may seem.

Immediately rinse mouth and drink plenty of water or milk. Keep person under

observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

Most important symptoms and effects, both acute and delayed

Symptoms/effects: Contact with wet cement/mixture may cause burns. Chronic inflammation of

nose, throat and bronchial tubes. May cause allergic skin disorders in sensitive

individuals.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

Product name: GEM25A Page: 4/11

Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

#### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

Specific hazards: No specific precautions.

**Advice for firefighters** 

Protective equipment for fire- Selection of respiratory protection for fire fighting: follow the general fire

<u>fighters:</u> precautions indicated in the workplace.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid inhalation of dust. Avoid contact with eyes and prolonged skin contact.

Protective equipment: Wear eye protection and gloves.

**Environmental precautions** 

Environmental Avoid release to the environment. Inform Authorities if large amounts are

<u>precautions:</u> involved.

Methods and material for containment and cleaning up

Spill Cleanup Methods: Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel,

broom or the like.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

<u>Safe handling advice:</u> Avoid spreading dust. Avoid inhalation of dust. Avoid contact with eyes and

prolonged skin contact. Change contaminated clothing. Observe good chemical

hygiene practices.

Technical measures: Use work methods which minimize dust production.

<u>Technical precautions:</u> Mechanical ventilation may be required. Provide easy access to water supply and

eye wash facilities.

Conditions for safe storage, including any incompatibilities

Technical measures for safe No special precautions.

storage:

Storage conditions: Store in closed original container in a dry place. Seal opened containers and use

up as soon as possible. When stored in humid conditions, the chromate

neutralisation will decrease.

Specific end use(s)

Specific use(s): Ground Enhancing Material

Product name: GEM25A Page: 5/11

Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposure limits:	Type:	Notes:	References:
65997-15-1	Portland cement, respirable fraction	-	5 mg/m3	TWA	-	NIOSH
65997-15-1	Portland cement, total particulate	-	10 mg/m3	TWA	-	NIOSH
1317-65-3	Limestone, total particulate	-	10 mg/m3	TWA	-	NIOSH
1317-65-3	Limestone, respirable fraction	-	5 mg/m3	TWA	-	NIOSH
1317-65-3	Limestone, total dust	-	15 mg/m3	TWA	-	OSHA
1317-65-3	Limestone, respirable fraction	-	5 mg/m3	TWA	-	OSHA
65997-15-1	Portland cement, total dust	-	15 mg/m3	TWA	-	OSHA
65997-15-1	Portland cement, respirable fraction	-	5 mg/m3	TWA	-	OSHA
65997-15-1	Portland cement, inhalable particulate matter	-	1 mg/m3	TWA	A4	ACGIH

Notes: A4: Not Classifiable as a Human Carcinogen.

ACGIH: Threshold Limit Values 2020 (ACGIH).

NIOSH: NIOSH Pocket Guide to Chemical Hazards (September 2007). OSHA: Occupational Safety and Health Standards, Air contaminants

(amendments 2017).

**Exposure controls** 

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimize the risk of inhalation of dust. An eye wash bottle must be available at

the work site.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the ANSI

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of dust, use suitable

respiratory equipment with particle filter.NIOSH approved dust mask

recommended.

<u>Hand protection:</u> Wear protective gloves. Nitrile gloves are recommended. Thickness: 0.7 mm.

Breakthrough time: > 8 h

Other types of gloves can be recommended by the glove supplier.

Eye protection: Wear goggles/face shield.

Skin protection: Wear suitable protective clothing as protection against splashing or

contamination.

Hygiene measures: Wash hands after handling. Do not eat, drink or smoke when using the

product. Change contaminated clothing. Wash contaminated clothing before

reuse.

Product name: GEM25A 6/11 Page:

Supersedes date:

SDS-ID: GEM25A\_US Version number: US-EN/1.0

2020-11-03

Revision:

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

Appearance: Grey powder Odor: Odorless. Odor threshold: Not available. 12.3 (Solution.) <u>pH:</u>

6332 °F Melting point / freezing point:

**Boiling point:** Not relevant. Flash point: Not available. Not available. **Evaporation rate: Explosion limits:** Not available. Vapor pressure: Not relevant. Not available. Vapor density:

0.9 Relative density:

Slightly soluble in water. Solubility:

Partition coefficient (n-

octanol/water):

Not available.

Auto-ignition

Not available.

temperature (°F):

**Decomposition** Not available.

temperature (°F):

Not available. Viscosity: Oxidizing properties: Not available.

Other information

Other data: Not available.

Product name: GEM25A Page: 7/11

Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Reactivity: Not reactive.

**Chemical stability** 

Stability: Stable under normal temperature conditions.

Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

**Conditions to avoid** 

Conditions/materials to avoid: Keep dry until used.

**Incompatible materials** 

<u>Incompatible materials:</u> None known.

**Hazardous decomposition products** 

<u>Hazardous decomposition</u> Polymerization will not occur.

products:

Product name: GEM25A Page: 8/11

2020-11-03

Revision:

Supersedes date:

SDS-ID: GEM25A\_US Version number: US-EN/1.0

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin

sensitization:

May cause an allergic skin reaction.

<u>Germ cell mutagenicity:</u>

<u>Carcinogenicity:</u>

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

<u>STOT - Single exposure:</u> May cause respiratory irritation.

<u>STOT - Repeated exposure:</u> Based on available data, the classification criteria are not met.

<u>Aspiration hazard:</u> Based on available data, the classification criteria are not met.

<u>Inhalation:</u> Dust may irritate throat and respiratory system and cause coughing.

Skin contact: Prolonged contact with wet cement/mixture may cause burns. Dust has an

irritating effect on moist skin.

Eye contact: Dust or splashes from the mixture may cause permanent eye damage.

Immediate first aid is necessary.

Ingestion: Ingestion may cause severe irritation of the mouth, the esophagus and the

gastrointestinal tract.

Specific effects: Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases. May cause allergic skin disorders in sensitive

individuals.

This product contains no ingredient listed on the NTP, OSHA, IARC or California

Proposition 65 carcinogen lists.

<u>Toxicological data:</u> Calcium nitrite:

Acute Toxicity (Oral LD50): 940 mg/kg

Product name: GEM25A Page: 9/11
Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity** 

<u>Ecotoxicity:</u> The product contains a substance which is very toxic to aquatic organisms.

Persistence and degradability

<u>Degradability:</u> In the presence of water the product hardens to a solid mass which is not

biodegradable.

**Bioaccumulative potential** 

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: The product is not volatile but may be spread by dust-raising handling.

Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

Other adverse effects

Other adverse effects: None known.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

# **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

# **UN number**

UN-No:

UN proper shipping name

Proper Shipping Name:

Transport hazard class(es)

<u>Class:</u> -

Packing group

<u>PG:</u> -

Environmental hazards

Marine pollutant: -

Environmentally Hazardous

substance:

Special precautions for user

Special precautions: -

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> -

Product name: GEM25A Page: 10/11

Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

### **SECTION 15: REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> State and local regulation may apply.

TSCA: The ingredients of this product are on the TSCA Inventory.

SARA Section 302: No SARA Section 304: No SARA Section 313: No

SARA (311/312) Hazard categories: Yes

NFPA Rating: Health:2 Fire:1 Reactivity:1 Other:-

National regulation: The following lists have been checked:

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Hazard Communication, with amendments.

Threshold Limit Values (2020), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 40, part 261.33. Identification and listing of

hazardous waste.

The Code of Federal Regulation. Title 40, part 372.65. Toxic Chemical Release

Reporting: Community Right to Know.

The Code of Federal Regulation. Title 40, part 355.50. Emergency Planning and

Notification.

The Code of Federal Regulation. Title 40, part 302.4. Designation, Reportable

Quantities, and Notification.

The Code of Federal Regulation. Title 40, part 68.130. Chemical Accident

Prevention Provisions.

State of California. Environmental Protection Agency. California Proposition 65,

with amendments.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

NIOSH Pocket Guide to Chemical Hazards.

U.S. Department of health and human services: 2016 - Report on Carcinogens -

14th Edition.

International Agency for Research on Cancer (IARC): IARC Monographs on the

Evaluation of Carcinogenic Risks to Humans. Lyon: IARC, World Health

Organization.

Product name: GEM25A Page: 11/11

Supersedes date: Revision: 2020-11-03

SDS-ID: GEM25A\_US Version number: US-EN/1.0

### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Additional information: Classification according to HCS 2012: Calculation method.

Revision Date: 2020-11-03

Wording of H-statements:

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.