



### Main

Range of product	Harmony Pocket Remote
Product or component type	Hand-held remote control
Device short name	ZART
Control button type	6 single step push-button

### Complementary

Material	Push-button cover silicone rubber Enclosure ABS + PET
Function available	Power switch
Display type	1 LED
Operating distance	50 m
Communication network type	Wireless
Transmission frequency	2.4 GHz
Maximum sensing distance	984.25 ft (300 m) in free field
Response time	< 500 ms
Autonomy	> 100 h with alkaline batteries
Battery type	2 alkaline
Maximum Width	2.60 in (66 mm)
Maximum Height	4.49 in (114 mm)
Maximum Depth	1.48 in (37.5 mm)
Net Weight	0.30 lb(US) (0.135 kg)

### Environment

Radio agreement	IC FCC
IP degree of protection	IP67
Ambient air temperature for operation	-4...131 °F (-20...55 °C)
Ambient air temperature for storage	-4...113 °F (-20...45 °C)
Operating altitude	0...6561.68 ft (0...2000 m)
Storage altitude	0.00...9842.52 ft (0...3000 m)
Relative humidity	0...95 % -4...140 °F (-20...60 °C) operating
Product certifications	CE

## Offer Sustainability

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

---

Transmitter Dimensions

---

