



Screwdriver size: 0.4x 2.5 mm

| Model                                      |                           |             |
|--------------------------------------------|---------------------------|-------------|
| design of handle                           |                           | 1-component |
| design of the screwdriver precision design |                           | No          |
| design of screwdriver shaft                |                           | straight    |
| shape of the screwdriver tip               |                           | Pozidriv PZ |
| size of the screwdriver tip                |                           | others      |
| product feature                            |                           |             |
| • antimagnetic                             |                           | No          |
| • insulated                                |                           | No          |
| • low spark                                |                           | No          |
| • with protective insulation to 1000 V     |                           | No          |
| Mechanical Design                          |                           |             |
| length of the screwdriver shank            |                           | 75 mm       |
| General Product Approval                   | Declaration of Conformity | other       |

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

### Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9200-0AA00>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8WH9200-0AA00>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH9200-0AA00](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9200-0AA00)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

last modified:

12/19/2020 

